



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:

DAVIDSON et al.

Confirmation No.: 4232

Serial No.: 09/866,532

Art Unit: 1632

Filing Date: May 25, 2001

Examiner: A.M. Falk

Title: METHODS OF TRANSDUCING NEURAL  
CELLS USING LENTIVIRUS VECTORS

**DECLARATION OF BEVERLY L. DAVIDSON, Ph.D.**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

I, Beverly L. Davidson, hereby declare as follows:

1. I received my Ph.D. in Biological Chemistry from the University of Michigan, Ann Arbor, where I focused my studies on human genetics. I am currently a Professor at the University of Iowa College of Medicine ("the University") and the Vice Chair for Research in the Department of Internal Medicine at the University. I am extremely familiar with the fields of gene therapy and genetic research, having actively worked in these fields for over 20 years. I have authored and coauthored approximately 380 publications in these fields. A copy of my Curriculum Vitae is attached hereto as Exhibit A.

2. I am an inventor of the above-captioned patent application ("the Application").

3. I believe that successful delivery and expression of  $\beta$ -galactosidase is in

fact a predictor that a therapeutic protein could be delivered and expressed with a subsequent therapeutic effect. It was an continues to be routine in the field of gene therapy to first deliver a reporter gene such as  $\beta$ -galactosidase in order to determine whether successful delivery and expression of a therapeutic gene is even feasible. This view is widely accepted in the field of gene therapy. For example, in the study described in Alisky et al., *NeuroReport* (2000) 11:2669-2673, on which I am a coauthor, the lacZ gene was delivered using FIV vectors and the identical system described in the Application. Based on the results using the lacZ gene, we concluded that these vectors showed promise "in correction of cerebellar degeneration both hereditary and acquired." Alisky et al., page 2673. Similarly, in Stein and Davidson, *Meth. Enzymol.* (2002) 346:433-454, we commented on the Alisky study and concluded: "Thus, an FIV vector encoding a therapeutic molecule has potential clinical value." Stein and Davidson, page 448. These statements, published in well-respected peer-reviewed journals, show that scientists in the field of gene therapy indeed rely on studies using reporter genes in order to determine the feasibility of delivering therapeutic proteins. Why? Because it tells us that the virus can infect the target cell, that the machinery in the cell allows for appropriate uncoating of the virus and trafficking of the nucleocapsid to the nucleus, and that the nucleocapsid can enter the nucleus and gene expression can ensue. Using reporters we also get a sense of the longevity of gene expression because when we can no longer 'see' it by whatever means (quantitative PCR, northern blotting, reporter gene assay). 'Seeing' expression indicates gene transcription and is the first criterion for moving forward with a therapeutic transgene in animal models. The fact that 'gene therapy hasn't worked' has nothing to do with this application, but rather investigators mismatching vectors and disease indications. We are now moving more slowly, and more rationally, towards using the right vector for the right disease, and reporter vectors are helping us hone in appropriate applications for the vector under study.

4. There are numerous examples of successful gene delivery and expression with a therapeutic effect following the successful delivery and expression of a reporter gene such as  $\beta$ -galactosidase. For example, Haskell et al., *Gene Therapy* (2000) 10:34-42 used the same FIV delivery system as described in Alisky and in the Application, to successfully deliver and express tripeptidyl peptidase I (TPP-I), in Purkinje cells. TPP-I is the enzyme deficient in classical late-infantile neuronal ceroid lipofuscinosis (LINCL). Similarly, Brooks et al., *Proc. Natl. Acad. Sci. USA* (2002) 99:6216-6221, delivered both the lacZ gene and  $\beta$ -glucuronidase gene to adult  $\beta$ -glucuronidase-deficient mice using the FIV-based vectors described and used in the Application. As explained in the paper, the  $\beta$ -galactosidase gene was first delivered in order to evaluate the feasibility of the FIV system to transduce and ultimately express  $\beta$ -galactosidase in the CNS (see, pages 6218-6219, bridging paragraph). When the  $\beta$ -glucuronidase gene was delivered using the same system, therapeutic benefits were achieved. In fact, established disease was *reversed*, a preclinical study of great importance (see accompanying commentary to this paper on PubMed, appended as Exhibit B). Although Brooks does not pertain to transducing cerebellar neurons *per se*, Brooks shows that the successful use of  $\beta$ -galactosidase can indeed be predictive of the success of subsequent delivery of a therapeutic gene. Scientists in the field of gene therapy, such as myself, are in fact excited by positive results using reporter genes because we believe results using these genes can be reasonably extrapolated to the ability to deliver and express a therapeutic protein.

5. We have also successfully used the lentiviral vector gene delivery system described in the Application to deliver  $\beta$ -glucuronidase to MPS VII mice, and achieve expression of  $\beta$ -glucuronidase in cerebral neurons, using the methods described in the Application. In particular,  $\beta$ -glucuronidase deficiency, like other


mucopolysaccharidoses, results in progressive lysosomal accumulation of glycosaminoglycans, resulting in cell, tissue and organ dysfunction, including mental deterioration. In this study, the scientifically-accepted  $\beta$ -glucuronidase-deficient mouse model was used to examine the ability of a VSVg-pseudotyped FIV vector (as described in the Application) encoding  $\beta$ -glucuronidase (FIV<sub>gluc</sub>) to treat the central nervous system (CNS) aspect of this lysosomal storage disease. To evaluate FIV  $\beta$ gluc-mediated CNS transduction and correction of lysosomal distention,  $\beta$ -glucuronidase-deficient mice were given unilateral injections of FIV  $\beta$ gluc, and brains were harvested at 3, 6 and 18 weeks for examination of enzyme activity and cellular pathology.  $\beta$ -glucuronidase activity was evident throughout much of the injected hemisphere at the 3 week time-point ( $26 \pm 6\%$ ), and declined only slightly by the 18 week time-point ( $18 \pm 2\%$ ). Histological correction of lysosomal storage was observed in the ipsilateral striatum at the 3 week time-point, while at 6 weeks there was substantive storage reduction in both hemispheres of the brain, indicative of  $\beta$ -glucuronidase secretion and of cross-correction of distant cells. The absence of lysosomal inclusions was maintained through the 18-week time-point. To test the potential of FIV $\beta$ gluc therapy to halt or reverse learning and memory deficits in aged mice, we used the repeated acquisition and performance chamber (RAPC) test. RAPC sessions performed on 8 and 13 week-old mice prior to gene transfer confirmed significant learning deficits in deficient mice (-/-), compared to heterozygous (normal) littermates (+/-). At 15 weeks of age, these mice were given bilateral injections of FIV $\beta$ gluc and retested in RAPC sessions conducted 3, 4 and 5 weeks later. Marked reversal of learning defects was observed, such that differences were no longer evident between the FIV $\beta$ gluc-treated -/- mice and +/- controls.


6. The above results indicate (1) that recombinant FIV-based vectors can mediate extensive and persistent transgene expression in mammalian brain, and (2) that

enzyme replacement via gene transfer is capable of reversing severe neurological deficits of mammals with advanced lysosomal storage disease. Based on these results, and the other studies described above, I would expect that lentivirus-mediated gene delivery of therapeutic proteins, such as  $\beta$ -glucuronidase, would also be successful in providing expression in cerebellar neurons with a therapeutic effect. In fact, as explained above, my coworkers and I have shown successful delivery and expression of another therapeutic enzyme, TPP-I, in Purkinje cells, using the vectors and methods described in the Application. See, Haskell et al., *Gene Therapy* (2000) 10:34-42, appended as Exhibit C.

7. Based on the foregoing, it is my opinion that there is every reason to believe that expression of a therapeutic protein in cerebellar neurons can result in a therapeutic benefit, such as treating or preventing a CNS disorder, and treating or preventing cerebellar degeneration.

8. I declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

  
Beverly L. Davidson, Ph.D.

  
Date

UNIVERSITY OF IOWA COLLEGE OF MEDICINE CURRICULUM VITAE

***Beverly L. Davidson, PhD***

**I. EDUCATIONAL AND PROFESSIONAL HISTORY**

**A. Institutions Attended**

<u>Year</u>	<u>Degree</u>	<u>Institution</u>
1977-81	B.S. (Biology, High Distinction)	Nebraska Wesleyan University, Lincoln, NE
1981-83	M.S. (Graduate Program in Biological Chemistry)	University of Michigan, Ann Arbor, MI
1984-87	Ph.D. (Graduate Program in Biological Chemistry)	University of Michigan, Ann Arbor, MI

**B. Professional and Academic Positions**

<u>Year</u>	<u>Position</u>	<u>Institution</u>
1982-83	Research Assistant	University of Nebraska, Lincoln, NE
1988-90	Postdoctoral Fellow	University of Michigan Medical Center, Ann Arbor, MI
1990-92	Research Investigator	University of Michigan Medical Center, Ann Arbor, MI
1992-94	Assistant Research Scientist	University of Michigan Medical Center, Ann Arbor, MI
1993-94	Director	Vector Core, University of Michigan Medical Center, Ann Arbor, MI
1994	Assistant Professor	University of Michigan Medical Center, Ann Arbor, MI
1994-98	Assistant Professor	University of Iowa College of Medicine, Iowa City, IA
1994-	Director	Gene Transfer Vector Core, University of Iowa College of Medicine, Iowa City, IA
1998-01	Associate Professor	University of Iowa College of Medicine, Iowa City, IA
1999-	Roy J Carver Chair	University of Iowa College of Medicine, Iowa City, IA
2001-	Professor	University of Iowa College of Medicine, Iowa City, IA
2001-05	Co-Director	Iowa Biosciences Advantage Program
2004--	Vice Chair for Research	Department of Internal Medicine, University of Iowa, Iowa City, IA

**C. Honors, Awards, Recognitions**

<u>Year</u>	<u>Award</u>
1977-81	Presidents Scholarship Award, Nebraska Wesleyan University, Lincoln, NE
1979	Beta Beta Beta Biology Honorary Society, Nebraska Wesleyan University, Lincoln, NE
1980	Phi Kappa Phi Honor Society, Nebraska Wesleyan University, Lincoln, NE
1988	VI International Symposium on Human Purine and Pyrimidine Metabolism Scholarship Award
1988-90	Fellowship for Protein Structure and Design, University of Michigan, Ann Arbor, MI
1990-93	National Arthritis Foundation Postdoctoral Fellow Award

- 1993 Mentor for Steve Doran, MD – recipient, Residents Award, Congress of Neurological Surgeons
- 1993 Co-mentor for John Hartman, recipient, Abraham H. Grant Scholastic Award and American College of Rheumatology Medical Student Achievement Award
- 1994-95 Mentor for Troy J. Plumb – recipient, Howard Hughes Medical Institute Research Training Fellowship for Medical Students
- 1995 Mentor for Troy J. Plumb – recipient, AFRCR/CSCR Trainee Investigator Award
- 1995 Mentor for Troy J. Plumb – recipient, AFRCR Medical Student Award
- 1996 Mentor for Steven Beer – recipient, University of Iowa Resident's Research Award, Department of Surgery
- 1996 Mentor for Francis Miller – recipient, K08 Award
- 1997 Mentor for Francis Miller – recipient, Young Investigator Award
- 1997 Mentor for Camilla Bowman Matthews, - recipient, AHA Medical Student Research Award
- 1998 Mentor for Ronald E. Haskell – recipient, Battens Disease Support & Research Association grant
- 1998 Mentor for Haibin Xia – recipient, American Heart Association grant
- 1998 Mentor for Lane Law – recipient, American Society of Gene Therapy Travel Award
- 1999 Roy J Carver Endowed Chair
- 2000 Mentor for Inês Martins – recipient, University of Iowa College of Medicine Research Week award
- 2000 Mentor for Stephanie M. Hughes – recipient, University of Iowa College of Medicine Research Week award
- 2000 Mentor for Colleen S. Stein – recipient, University of Iowa College of Medicine Research Week award
- 2000 Mentor for Joseph Alisky – recipient, Amyotrophic Lateral Sclerosis Association Research Grant
- 2000 Mentor for Qinwen Mao – recipient, University of Iowa Biosciences Initiative award
- 2000 Mentor for Joseph Alisky – Invited Speaker, American Society of Gene Therapy meeting
- 2000 Mentor for Colleen S. Stein – Invited Speaker, American Society of Gene Therapy meeting
- 2000 Mentor for Stephanie M. Hughes – Invited Speaker, American Society of Gene Therapy meeting
- 2000 Mentor for Jason A. Heth – recipient, NIH Fellowship grant
- 2000 Mentor for Colleen S. Stein – recipient, NIH/CFF Pilot Grant
- 2000 Mentor for Stephanie M. Hughes – recipient, Battens Disease Support & Research Association Grant
- 2001 Mentor for Jason A. Heth – recipient, American Society of Gene Therapy Outstanding Research Award for Postdoctoral Fellows
- 2001 Mentor for Jason A. Heth – recipient, American Society of Gene Therapy Travel Award
- 2001 Mentor for Jason A. Heth – Invited Speaker, American Society of Gene Therapy
- 2001 Mentor for Joseph M. Alisky – Invited Speaker, American Society of Gene Therapy
- 2001 Mentor for Haibin Xia – Invited Speaker, American Society of Gene Therapy
- 2002 Mentor for Gumei Liu – Invited Speaker, American Society of Gene Therapy
- 2002 Mentor for Adam Espie-Ziemann, Award Winner, University of Iowa Medical Student Research Day
- 2003 Mentor for Scott Q Harper, Award Winner, University of Iowa College of Medicine Research Week
- 2003 Mentor for Henry L. Paulson, Award Winner, Paul Beeson Physician Faculty Scholars in Aging Research Award
- 2005 Mentor for Scott Q Harper, Best Basic Science Poster Award Winner, Department of Internal Medicine Research Day, March 2005.
- 2005 Mentor for Gumei Liu, Best Pre-doctoral Trainee Poster Award Winner, Department of Internal Medicine Research Day, March 2005.

II. TEACHING				
A. Teaching Assignments				
Year	Course Title	Wks/Yr	Hrs/Yr	
1994--	Pulmonary Fellows Research, University of Iowa, Iowa City, IA			
1995-96	Molecular Biology Program, Student Seminar Series, University of Iowa, Iowa City, IA	38	100	
1997--	Medical Students Training Program Cttee			
1997--00	Lecturer, Cancer Biology Program, University of Iowa, Iowa City, IA	2	8	
1997-98	Lecturer, Neuroscience Program, University of Iowa, Iowa City, IA	38	100	
1997--00	Lecturer, Genetic Analysis of Biological Systems, University of Iowa, Iowa City, IA	2	8	
1998--00	Lecturer, Cancer Biology Program, University of Iowa, Iowa City, IA	2	8	
1998--	Gene Therapy Research Group	38	50	
1999--	Lecturer, Mini Medical School, University of Iowa, Iowa City, IA	1	2	
1999	Lecturer, Mucopolysaccharidosis and Related Diseases Symposium, University of Minnesota	1	2	
1999--	Iowa Biosciences Initiative Committee			
2000	Lecturer, Undergraduate Biotechnology Program, University of Puerto Rico	1	17	
2000	Lecturer, Mucopolysaccharidosis and Related Diseases Symposium, University of Minnesota	1	2	
2000	Lecturer, University of Iowa Nursing Conference on "Genetics in Oncology Nursing: New Dimensions in Advanced Practice" – Gene Therapy: What's Ahead	1	2	
2000	Lecturer, University of Iowa Mini Symposium – Genetics and the Internist	1	2	
2000	Lecturer, University of Iowa Summer Seminar Series for Undergraduate Research Students	1	2	
2000	Facilitator: Principles of Molecular and Cell Biology	5	5	
2000--	Lecturer, University of Iowa "Genetic analysis of biological systems" course	1	2	
2001	Lecturer, University of Iowa "Experimental approaches to Human Disease: The Functional Genomics Era"	2	6	
2002	Lecturer, Principles in Molecular & Cell Biology course, University of Iowa	3	3	
2002	Lecturer, Genetics Analysis course, University of Iowa	2	3	
2002	Lecturer, Methods in Neuroscience course, University of Iowa	1	2	
2002	Lecturer, Functional Genomics course, University of Iowa	2	3	
2002	Lecturer, Biosciences undergraduate seminar, University of Iowa	1	1	
2002	Lecturer, Microbiology undergraduate seminar, University of Iowa	1	1	
2002	Lecturer, Topics in Molecular Biology course, University of Iowa	1	2	
2002	Lecturer, MSTP Conversations in Research, University of Iowa	1	2	
2002	Lecturer, ABC's of Gene Therapy seminar, University of Iowa	1	2	



2003	Lecturer, Principles in Molecular and Cellular Biology, University of Iowa	4	4
2003	Lecturer, Genetic Analysis, University of Iowa	2	4
2004	Lecturer, Human Physiology for Pharmacy Students, University of Iowa	1	2
2004	Lecturer, Intermediate Physiology, University of Iowa	1	2
2004	Lecturer, Human Physiology for Biomedical Engineering students, University of Iowa	1	2
2004	Lecturer, Developmental Neurobiology, University of Iowa	1	2
2005	Lecturer, Human Physiology, University of Iowa	3	4

**B. Staff/Students Supervised****B.1 Students**

<u>Year</u>	<u>Student</u>
1994-95	Troy Plumb (HHMI Pre-doctoral Fellowship)
1996-97	Camilla Matthews, BS (Iowa Heart Pre-doctoral Trainee Award)
1997-03	Lane Law (Genetics; Cardiovascular Pre-doctoral Fellowship)
1997--	Yueming Ding, Molecular Biology Program – Thesis Committee
1997-00	Gregory Wu, Neuroscience Training Program – Thesis Committee
1997-98	Laura Rubsam, University of Michigan – Thesis Committee
1997-98	Karl Swanson, Molecular Biology Program – Thesis Committee
1998-99	Brian Foster (MSTP; Molecular Biology)
1998-01	Julie Jacobs, Neuroscience Training Program – Thesis Committee
1998-01	Lisa Busch, Molecular Biology Program – Thesis Committee
1998-00	Ernie Lamb, Radiation Biology Program – Thesis Committee
1999-01	Branimir Cvetkovic, Molecular Biology program – Thesis Committee
1999--	Emily Kuhn, Genetics Program – Thesis Committee
1999-01	McKenzie Hilfers, Neuroscience Program – Thesis Committee
1999--	Sarah Shoesmith, Neuroscience Program – Thesis Committee
1999-00	Eian Murphy, Molecular Biology Program – Thesis Committee
1999-01	Chun Cheng, Molecular Biology Program – Thesis Committee
2000-01	Shana Lippert, Microbiology Program – Thesis Committee
2000--	Laura Norwood, Genetics Program – Thesis Committee
2001--	Gumei Liu, Neuroscience PhD Program - Advisor
2002--	Mee Kyoung Kim, Department of Chemistry – Thesis Committee
2002--	Glen Borchert, Genetics PhD Program - Advisor
2002--	Ben Darbro, Thesis Committee
2002--	Ryan Boudreau, Physiology and Biophysics PhD Program - Adviser
2002--	Sarah Fineberg, MSTP
2003	Emily Peddle, McMaster Co-operative Exchange Program
2003	Sanjay Anandaram, McMaster Co-operative Exchange Program
2003--	Michael Chang, MSTP Program - Adviser
2003--	Julieann Grant – PhD Thesis Committee
2003--	Jenny Bartlett, Genetics – PhD Thesis Committee
2003--	Annie Chaing, Electrical and Computer Engineering – Masters Thesis Committee
2003--	Rebecca van Oosten, Immunology PhD program – Thesis Committee
2003--	Douglas Dylla, PhD Thesis Committee

**B.2 Postdoctoral and Others****B.2.i Past**

<u>Year</u>	<u>Person</u>
1995-97	Assumpcio Bosch, PhD
1995-97	Steve Beer, MD (Neurosurgery Fellowship)
1997-98	Gongyu Yang, PhD (Cardiovascular Postdoctoral Fellowship)

1997-99	Abdi Ghodsi, MD (Neurosurgery Fellowship)
1997-99	Vladimir Slepishkin, PhD
1997-01	Francis Miller, MD
1999-01	Jason Heth, MD
1995-01	Ronald E. Haskell, PhD
1995-01	Richard D. Anderson, BS, BSMT
1999-02	Stephanie M. Hughes, PhD
1999-02	Joseph Alisky, MD, PhD
2000-02	Grace Shih-yi Yang, MD

*B.2.ii Present*

<u>Year</u>	<u>Person</u>
1995--	Colleen S. Stein, PhD
1995--	Patrick Staber, BS
1997--	Haibin Xia, PhD
1998--	Qinwen Mao, PhD
2001--	Rajeev Vibhakar, MD, PhD, MPH
2001--	Xiaohua He, PhD
2002--	Yong Hong Chen, PhD
2002--	Scott Q. Harper, PhD

**C. Other Contributions (See also Section II.A)**

<u>Year</u>	<u>Contribution</u>
1996--	Virology Journal Club
1996--	Neuroscience Seminar
1996--	Physiology Workshop
1996--	Molecular Biology Workshop
1996--	Pulmonary Conference
1998--	Levitt Journal Club
2001--	Neurology Grand Rounds

**III. SCHOLARSHIP**

**A. Publications**

*Peer Reviewed Papers*

1. **Davidson BL**, Boernke WE. Amphibian ornithine aminotransferase: Some general biological and chemical characteristics. *Comp Biochem Physiol* 72B:469-471, 1982.
2. Dadonna PE, Mitchell BS, Meuwissen HJ, **Davidson BL**, Wilson JM, Koller CA. Adenosine deaminase deficiency with normal immune function. An acidic mutation. *J Clin Invest* 72:483-492, 1983.
3. Dadonna PE, **Davidson BL**, Perignon JL, Kelley WN. Genetic expression in partial adenosine deaminase deficiency mRNA levels and protein turnover for the enzyme variations in human B-lymphoblast cell lines. *J Biol Chem* 260:3875-3880, 1985.
4. Wilson JM, Stout JT, Palella TD, **Davidson BL**, Kelley WN, Caskey CT. A molecular survey of hypoxanthine-guanine phosphoribosyltransferase deficiency in man. *J Clin Invest* 77(1):188-195, 1986.
5. Jensen SG, **Davidson BL**, Seip L. Size variation among proteins induced by sugarcane mosaic viruses in plant tissues. *Phytopath* 76:528-532, 1986.
6. **Davidson BL**. The genetic basis of hypoxanthine-guanine phosphoribosyltransferase deficiency states in humans. Doctoral dissertation. Horace Rackham School of Graduate Studies, University of Michigan, 1988.

7. **Davidson BL**, Pashmforoush M, Kelley WN, Palella TD. Genetic basis of hypoxanthine-guanine phosphoribosyltransferase deficiency in a patient with the Lesch-Nyhan syndrome (HPRT<sup>Flint</sup>). *Gene* 63:331-336, 1988.
8. **Davidson BL**, Palella TD, Kelley WN. Human hypoxanthine guanine phosphoribosyltransferase: A single nucleotide substitution in cDNA clones isolated from a patient with Lesch-Nyhan syndrome (HPRT<sup>Midland</sup>). *Gene* 68:85-91, 1988.
9. Fujimori S, Hidaka Y, **Davidson BL**, Palella TD, Kelley WN. Identification of a single nucleotide change in a mutant for hypoxanthine-guanine phosphoribosyltransferase gene (HPRT<sup>Ann Arbor</sup>). *Hum Genet* 79:39-43, 1988.
10. **Davidson BL**, Chen S-J, Wilson JM, Kelley WN, Palella TD. Hypoxanthine-guanine phosphoribosyltransferase. Genetic evidence for identical mutations in two partially deficient subjects. *J Clin Invest* 82(6):2164-2167, 1988.
11. **Davidson BL**, Pashmforoush M, Kelley WN, Palella TD. Human hypoxanthine-guanine phosphoribosyltransferase deficiency: The molecular defect in a patient with gout (HPRT<sup>Ashville</sup>). *J Biol Chem* 264:520-525, 1989.
12. Fujimori S, **Davidson BL**, Kelley WN, Palella TD. Identification of a single nucleotide change in the hypoxanthine-guanine phosphoribosyltransferase gene (HPRT<sup>Yale</sup>) responsible for Lesch-Nyhan syndrome. *J Clin Invest* 83(1):11-13, 1989.
13. **Davidson BL**, Tarle SA, Palella TD, Kelley WN. Molecular basis of hypoxanthine-guanine phosphoribosyltransferase (HPRT) deficiency in ten subjects determined by direct sequencing of amplified transcripts. *J Clin Invest* 84:342-346, 1989.
14. **Davidson BL**, Tarle SA, Van Antwerp ME, Gibbs DA, Watts RE, Kelley WN, Palella TD. Identification of seventeen independent mutations responsible for human hypoxanthine-guanine phosphoribosyltransferase (HPRT) deficiency. *Am J Hum Genet* 48(5):951-958, 1991.
15. Tarle SA, **Davidson BL**, Wu VC, Zidar FJ, Seegmiller JE, Kelley WN, Palella TD. Determination of the mutations responsible for the Lesch-Nyhan syndrome in seventeen subjects. *Genomics* 10:499-501, 1991.
16. **Davidson BL**, Roessler BJ and Palella TD: Expression of normal and variant human hypoxanthine-guanine phosphoribosyltransferase in *E. coli*. *Adv Exp Med Biol* 309B:105-108, 1991.
17. **Davidson BL**, Brown JE, Weber CH, Palella TD, Roessler BJ. Synthesis of normal and variant human hypoxanthine-guanine phosphoribosyltransferase in *Escherichia coli*. *Gene* 123:271-275, 1993.
18. **Davidson BL**, Allen ED, Kozarsky KF, Wilson JM, Roessler BJ. A model system for *In vivo* gene transfer to the central nervous system using an adenoviral vector. *Nat Genet* 3:219-223, 1993.
19. Roessler BJ, Allen ED, Wilson JM, Hartman JW, **Davidson BL**. Adenoviral mediated gene transfer to rabbit synovium *In vivo*. *J Clin Invest* 92:1085-1092, 1993.
20. **Davidson BL**, Doran SE, Shewach DS, Latta JM, Hartman JW, Roessler BJ. Expression of *Escherichia coli*  $\beta$ -galactosidase and rat HPRT in the CNS of *Macaca mulatta* following adenoviral mediated gene transfer. *Exp Neurol* 125:258-267, 1994.
21. **Davidson BL**, Golovoy N, Roessler BJ. A 13 base pair deletion in exon 1 of HPRT<sup>Illinois</sup> forms a functional GUG initiation codon. *Hum Genet* 93(3):300-304, 1994.
22. Roessler BJ, **Davidson BL**. Direct plasmid mediated transfection of adult murine brain cells *In vivo* using cationic liposomes. *Neurosci Lett* 167(1-2):5-10, 1994.
23. Li T, Adamian M, Roof DJ, Berson EL, Dryja TP, Roessler BJ, **Davidson BL**. *In vivo* transfer of a reporter gene to the retina mediated by an adenoviral vector. *Invest Ophthalmol Vis Sci* 35(5):2543-2549, 1994.

24. Smythe WR, Hwang HC, Amin KM, Eck SL, **Davidson BL**, Wilson JM, Kaiser LR, Albelda SM. Use of recombinant adenovirus to transfer the herpes simplex virus thymidine kinase (HSVtk) gene to thoracic neoplasms: An effective in vitro drug sensitization system. *Cancer Res* 54(8):2055-2059, 1994.
25. Shewach DS, Zerbe LK, Hughes TL, Roessler BJ, Breakefield XO, **Davidson BL**. Enhanced cytotoxicity of antiviral drugs mediated by adenoviral directed transfer of the herpes simplex virus thymidine kinase gene in rat glioma cells. *Cancer Gene Ther* 1(2):107-112, 1994.
26. Doran SE, Ren XD, Betz AL, Pagel MA, Neuwelt EA, Roessler BJ, **Davidson BL**. Gene expression from recombinant viral vectors in the CNS following blood-brain barrier disruption. *Neurosurgery* 36(5): 965-970, 1995.
27. Roessler BJ, Hartman JW, Latta JM, Janich S, **Davidson BL**. Inhibition of IL-1 induced effects in synoviocytes transduced with the human IL-1 receptor antagonist cDNA using an adenoviral vector. *Hum Gene Ther* 6:307-316, 1995.
28. Smythe WR, Hwang HC, Elshami AA, Amin KM, Eck SL, **Davidson BL**, Wilson JM, Kaiser LR, Albelda SM. Treatment of experimental human mesothelioma using adenovirus transfer of the herpes simplex thymidine kinase gene. *Ann Surg* 222(1): 78-86, 1995.
29. Betz AL, Yang G-Y and **Davidson BL**. Attenuation of stroke size in rats using an adenoviral vector to induce overexpression of interleukin-1 receptor antagonist in brain. *J Cereb Blood Flow Metab* 15:547-551, 1995.
30. McCoy RD, **Davidson BL**, Roessler BJ, Huffnagle GB, Simon RH. Expression of human interleukin-1 receptor antagonist in mouse lungs using a recombinant adenovirus: Effects on vector-induced inflammation. *Gene Ther* 2(7):437-442, 1995.
31. Ooboshi H, Welsh MJ, Rios CD, **Davidson BL**, Heistad DD. Adenovirus-mediated gene transfer *in vivo* to cerebral blood vessels and perivascular tissue. *Circ Res* 77:7-13, 1995.
32. Li T and **Davidson BL**. Phenotype correction of retinal pigment epithelium in murine mucopolysaccharidosis VII by adenovirus-mediated gene transfer. *Proc Natl Acad Sci USA*, 92:7700-7704, 1995.
33. Ross BD, Kim B, **Davidson BL**. Assessment of ganciclovir toxicity to experimental intracranial gliomas following recombinant adenoviral-mediated transfer of the herpes simplex virus thymidine kinase gene by magnetic resonance imaging and proton magnetic resonance spectroscopy. *Clin Cancer Res* 1:651-657, 1995.
34. Chen SJ, Wilson JM, Vallance DK, Hartman JW, **Davidson BL**, Roessler BJ. A recombinant adenoviral vector expressing a soluble form of VCAM-1 inhibits VCAM-1/VLA-4 adhesion in transduced synoviocytes. *Gene Ther* 2: 469-480, 1995.
35. Nilaver G, Muldoon LL, Kroll RA, Pagel MA, Breakefield XO, **Davidson BL**, Neuwelt EA. Delivery of herpesvirus and adenovirus to nude rat intracerebral tumors following osmotic blood-brain barrier disruption. *Proc Natl Acad Sci USA*, 92:9829-9833, 1995.
36. McCoy RD, **Davidson BL**, Roessler BJ, Huffnagle GB, Janich SL, Laing TJ, Simon RH. Pulmonary inflammation induced by incomplete or inactivated adenoviral particles. *Hum Gene Ther* 6:1553-1560, 1995.
37. Muldoon LL, Nilaver G, Kroll RA, Pagel MA, Breakefield XO, Chiocca EA, **Davidson BL**, Weissleder R, Neuwelt EA. Comparison of intracerebral inoculation of osmotic blood-brain barrier disruption for delivery of adenovirus, herpesvirus, and iron oxide particles to normal rat brain. *Am J Pathol* 147(6):1840-1851, 1995.
38. Rios CD, Ooboshi H, Piegors D, **Davidson BL**, Heistad DD. Adenovirus-mediated gene transfer to normal and atherosclerotic arteries: A novel approach. *ATVB* 15:2241-2245, 1995.

39. Goebel EA, **Davidson BL**, Graham SM, Zabner J, Kern JA. Adenovirus-mediated gene therapy for head and neck squamous cell carcinomas. *Ann Otol Rhinol Laryngol* 105(7):562-567, 1996.
40. Freese A, During MJ, **Davidson BL**, Gennarelli TA, Kaplitt MG, Flamm ES, Snyder PJ. Transfection of Human Lactotroph Adenoma Cells with an Adenovirus Vector Expressing Tyrosine Hydroxylase Decreases Prolactin Release. *J Clin Endocrinol Metab* 81(6):2401-2404, 1996.
41. Fang J, Zhu Y-Y, Smiley E, Bonadio J, Rouleau JP, Goldstein SA, McCauley LK, **Davidson BL**, Roessler BJ. Stimulation of new bone formation by direct transfer of osteogenic plasmid genes. *Proc Natl Acad Sci USA*, 93:5753-5758, 1996.
42. Hagan P, Barks JDE, Yabut M, **Davidson BL**, Roessler BJ, Silverstein FS. Adenovirus-mediated over-expression of interleukin-1 receptor antagonist reduces susceptibility to excitotoxic brain injury in perinatal rats. *Neurosci* 75(4):1033-1045, 1996.
43. Yao SN, Farjo A, Roessler BJ, **Davidson BL**, Kurachi K. Adenovirus-mediated transfer of human factor IX gene in immunodeficient and normal mice: Evidence for prolonged stability and activity of the transgene in liver. *Viral Immunol* 9(3):141-153, 1996.
44. Plumb TJ, Bosch A, Roessler BJ, Shewach DS, **Davidson BL**. Hypoxanthine-guanine phosphoribosyltransferase (HPRT) expression in the central nervous system of HPRT deficient mice following adenoviral mediated gene transfer. *Neurosci Lett* 214:159-162, 1996.
45. Welling TH, **Davidson BL**, Zelenock JA, Stanley JC, Gordon D, Roessler BJ and Messina LM. Systemic delivery of interleukin-1 receptor antagonist protein using a new strategy of direct adenoviral-mediated gene transfer to skeletal muscle capillary endothelium in the isolated rat hindlimb. *Hum Gene Ther* 7(15):1795-1802, 1996.
46. Bosch A, McCray PB, Chang SMW, Ulich TR, Simonet WS, Jolly DJ, **Davidson BL**. Proliferation induced by keratinocyte growth factor enhances *in vivo* retroviral-mediated gene transfer to mouse hepatocytes. *J Clin Invest* 98(12):2683-2687, 1996.
47. Choi-Lundberg DL, Lin Q, Chang YN, Chiang YL, Hay CM, Mohajeri H, **Davidson BL**, Bohn MC. Dopaminergic neurons protected from degeneration by GDNF gene therapy. *Science* 275:838-841, 1997.
48. Lamping KG, Rios CD, Chun JA, Ooboshi H, **Davidson BL**, Heistad DD. Intrapericardial administration of adenovirus for gene transfer. *Am J Physiol* 272:H310-H317, 1997.
49. Fasbender A, Zabner J, Chillón M, Moninger TO, Puga AP, **Davidson BL**, Welsh MJ. Complexes of adenovirus with polycationic polymers and cationic lipids increase the efficiency of gene transfer *in vitro* and *in vivo*. *J Biol Chem* 272(10):6479-6489, 1997.
50. **Davidson BL**, Bohn MC. Recombinant adenovirus. A gene transfer vector for study and treatment of CNS diseases. *Exp Neurol* 144:125-130, 1997.
51. Muhonen MG, Ooboshi H, Welsh MJ, **Davidson BL**, Heistad DD. Gene transfer to cerebral blood vessels after subarachnoid hemorrhage. *Stroke* 28(4):822-829, 1997.
52. Yang GY, Zhao YJ, **Davidson BL**, Betz AL. Overexpression of interleukin-1 receptor antagonist in the mouse brain reduces ischemic brain injury. *Brain Res* 751(2):181-188, 1997.
53. McCray PB, Wang G, O'Brien L, **Davidson BL**, Thomas P. Proliferation indices of pulmonary epithelia during human and ovine lung development: Gene transfer targets for integrating vectors. *Cell Vision* 4(1):42-49, 1997.
54. Walter E, Croyle MA, **Davidson BL**, Roessler BJ, Hilfinger JM, Amidon GL. Adenovirus mediated gene transfer to intestinal epithelial cells as a potential approach for oral delivery of peptides and proteins. *J Controlled Release* 46:75-87, 1997.

55. Ooboshi H, Chu Y, Rios CD, Faraci FM, **Davidson BL**, Heistad DD. Altered vascular function after adenovirus-mediated overexpression of endothelial nitric oxide synthase. *Am J Physiol* 42:H265-H270, 1997.
56. McCray PB, Wang G, Kline JN, Zabner J, Chada S, Jolly D, Chang SMW, **Davidson BL**. Alveolar macrophages inhibit retroviral-mediated gene transfer to airway epithelia. *Hum Gene Ther* 8(9):1087-1093, 1997.
57. Ooboshi H, Rios CD, Chu Y, Christenson SD, Faraci FM, **Davidson BL**, Heistad DD. Augmented adenovirus-mediated gene transfer to atherosclerotic vessels. *ATVB* 17:1786-1792, 1997.
58. Meyrelles SS, Sharma RV, Whiteis CA, **Davidson BL**, Chapleau MW. Adenovirus-mediated gene transfer to cultured nodose sensory neurons. *Mol Brain Res* 51(1-2):33-41, 1997.
59. Lam EWN, Zwacka R, Engelhardt JF, **Davidson BL**, Domann FE Jr, Yan T, Oberley LW. Adenovirus-mediated manganese superoxide dismutase gene transfer to hamster cheek pouch carcinoma cells. *Cancer Res* 57:5550-5556, 1997.
60. O'Connor WM, **Davidson BL**, Kaplitt MG, Abbey MV, During MJ, Leone P, Langer D, O'Connor MJ, Freese A. Adenovirus vector-mediated gene transfer into human epileptogenic brain slices: prospects for gene therapy in epilepsy. *Exp Neurol* 148(1):167-178, 1997.
61. Betz AL, Shukui P, **Davidson BL**. Gene transfer to rodent brain with recombinant adenoviral vectors: effects of infusion parameters, infectious titer and virus concentration on transduction volume. *Exp Neurol* 150:136-142, 1998.
62. Brooks AI, Halterman MW, Chadwick CA, **Davidson BL**, Haak-Fredenscho M, Radel C, Porter C, Federoff HJ. Reproducible and efficient murine CNS gene delivery using a microprocessor-controlled injector. *J Neurosci Methods* 80(2):137-147, 1998.
63. Stein CS, Pemberton J, van Rooijen N, **Davidson BL**. Effects of macrophage depletion and anti-CD40 ligand on transgene expression and redosing with recombinant adenovirus. *Gene Ther* 5(4):431-439, 1998.
64. Holt KH, Lim LE, Straub V, Venzke DP, Duclos F, Anderson RD, **Davidson BL**, Campbell KP. Functional rescue of the sarcoglycan complex in the BIO 14.6 hamster using  $\delta$ -sarcoglycan gene transfer. *Molecular Cell* 1:1-20, 1998.
65. Miller FJ, Gutterman DD, Rios CD, Heistad DD, **Davidson BL**. Superoxide production in vascular smooth muscle contributes to oxidative stress and impaired relaxation in atherosclerosis. *Circ Research* 82(12):1298-1305, 1998.
66. Christenson SD, Lake KD, Ooboshi H, Faraci FM, **Davidson BL**, Heistad DD. Adenovirus mediated gene transfer in vivo to CBV's and Perivascular tissue in mice. *Stroke* 29(7):1411-1416, 1998.
67. Beer SJ, Matthews CB, Stein CS, Ross BD, Hilfinger JM, **Davidson BL**. Poly (lactic-glycolic) acid copolymer encapsulation of recombinant adenovirus reduces immunogenicity in vivo. *Gene Therapy* 5:740-746, 1998.
68. Bosch A, McCray PB, Walters KS, Bodner M, Jolly DJ, van Es HHG, Nakamura T, Matsumoto K, **Davidson BL**. Effects of keratinocyte and hepatocyte growth factor in vivo: implications for retroviral-mediated gene transfer to liver. *Human Gene Ther* 9(12):1747-1754, 1998.
69. Rubsam LZ, **Davidson BL**, Shewach DS. Multi-log cytotoxicity mediated by ganciclovir: A novel paradigm for cell killing. *Cancer. Res* 58:3873-3882, 1998.
70. Duclos F, Straub V, Moore SA, Venzke DP, Hrsticka RF, Crosbie RH, Durbeej M, Lebakken CS, Ettinger AJ, Holt KH, Lim LE, Sanes JR, **Davidson BL**, Faulkner JA, Williamson R, Campbell KP. Progressive muscular dystrophy in  $\alpha$ -sarcoglycan deficient mice. *J Cell Biol* 142(6):1-11, 1998.
71. Wang G, Williamson R, Mueller G, Thomas P, **Davidson BL**, McCray PB Jr. Ultra-sound-guided gene transfer to hepatocytes in utero. *Fetal Diagn Ther* 13:197-205, 1998.

72. Wang G, **Davidson BL**, Melchert P, Slepushkin VA, van Es HHG, Bodner M, Jolly DJ, McCray PB Jr. Influence of cell polarity on retroviral-mediated gene transfer to differentiated human airway epithelia. *J Virol* 72(12):9812-9826, 1998.
73. Ghodsi A, Yang G, Derksen T, Stein C, Anderson RD, **Davidson BL**. Extensive  $\beta$ -glucuronidase activity in murine CNS after adenovirus mediated gene transfer to brain. *Hum Gene Ther* 9(16):2331-2340, 1998.
74. Wilson ME, Young BM, **Davidson BL**, Mente KA, McGowan SE. The importance of transforming growth factor- $\beta$  in murine visceral leishmaniasis. *J Immunol* 161:6148-6155, 1998.
75. Gudmundsson G, Bosch A, **Davidson BL**, Hunninghake GW. Interleukin-10 modulates the severity of hypersensitivity pneumonitis. *Am J Resp Cell & Mol Biol* 19:812-818, 1998.
76. Toyoda K, Ooboshi H, Chu Y, Fasbender A, **Davidson BL**, Welsh MJ, Heistad DD. Cationic polymer and lipids enhance adenovirus-mediated gene transfer to carotid artery. *Stroke* 29(10):2181-2188, 1998.
77. Choi-Lundberg DL, Lin Q, Schallert T, Crippens D, **Davidson BL**, Chang YN, Chiang YL, Qian J, Bardwaj L, Bohn MC. Behavioral and cellular protection of rat dopaminergic neurons by an adenoviral vector encoding glial cell line-derived neurotrophic factor (GDNF). *Exp Neurol* 154:261-275, 1998.
78. Vasquez EC, Johnson RF, Beltz RG, Haskell RE, **Davidson BL**, Johnson AK. Replication-deficient adenovirus vector transfer to gfp reporter gene into supraoptic nucleus and subfornical organ neurons. *Exp Neurol* 154:353-365, 1998.
79. Chillon M, Bosch A, Zabner J, Law L, Armentano D, Welsh MJ, **Davidson BL**. Group D adenoviruses infect primary central nervous system cells more efficiently than those from group C. *J Virol* 73(3):2537-2540, 1999.
80. Stein CS, Derksen TA, Ghodsi A, **Davidson BL**. Systemic and central nervous system correction of lysosomal storage in mucopolysaccharidosis type VII mice. *J Virol* 73(4):3424-3429, 1999.
81. Wang G, Slepushkin VA, Bodner M, Zabner J, van Es HHG, Thomas P, Jolly DJ, **Davidson BL**, McCray PB Jr. Keratinocyte growth factor induced epithelial proliferation facilitates retroviral-mediated gene transfer to pulmonary epithelia in vivo. *J Gene Med* 1(1):22-30, 1999.
82. Lund DD, Faraci FM, Ooboshi H, **Davidson BL**, Heistad DD. Adenovirus-mediated gene transfer is augmented in basilar and carotid arteries of heritable hyperlipidemic rabbits. *Stroke* 29:120-125, 1999.
83. Haskell RE, Derksen TA, **Davidson BL**. Intracellular trafficking of the JNCL protein CLN3. *Mol Genet Metab* 66(4):253-260, 1999.
84. Bohn MC, Choi-Lundberg DL, **Davidson BL**, Leranath C, Kozlowski DA, Smith JC, O'Banion MK, Redmond DE Jr. Adenovirus-mediated transgene expression in non-human primate brain. *Hum Gene Ther* 10(7):1175-1184, 1999.
85. Johnston JC, Gasmi M, Lim LE, Elder JH, Yee J-K, Jolly DJ, Campbell KP, **Davidson BL**, Sauter SL. Minimal requirements for efficient transduction of dividing and nondividing cells by feline immunodeficiency virus vectors. *J. Virol.* 73(6):4991-5000, 1999.
86. Stec DE, Davisson RL, Haskell RE, **Davidson BL**, Sigmund CD. Efficient liver-specific deletion of a floxed human angiotensinogen transgene by adenoviral delivery of CRE-recombinase in vivo. *J Biol Chem* 274(30):21285-21290, 1999.
87. Lawrence MS, Foellmer HG, Elsworth JD, Kim JH, Leranath C, Kozlowski DA, Bothwell ALM, **Davidson BL**, Bohn MC, Redmond DE Jr. Inflammatory responses and their impact on  $\beta$ -galactosidase transgene expression following adenovirus vector delivery to the primate caudate nucleus. *Gene Ther* 6(8):1368-1379, 1999.

88. Ghodsi A, Stein C, Derksen T, Martins I, Anderson RD, **Davidson BL**. Systemic hyperosmolality improves  $\beta$ -glucuronidase distribution and pathology in murine MPS VII brain following intraventricular gene transfer. *Exp Neurol* 160(1):109-116, 1999.
89. Matthews CB, Jenkins G, Hilfinger JM, **Davidson BL**. Poly-l-lysine improves gene transfer with adenovirus formulated in PLGA microspheres. *Gene Ther* 6:1558-1564, 1999.
91. Christenson SD, Lund D, Ooboshi H, Faraci FM, **Davidson BL**, Heistad DD. Approaches to enhance expression after adenovirus-mediated gene transfer to the carotid artery. *endothelium* 7(1):75-82, 1999.
92. Connor B, Kozlowski DA, Schallert T, Tillerson JL, **Davidson BL**, Bohn MC. The differential effects of adenoviral vector mediated glial cell line-derived neurotrophic factor (GDNF) in the striatum vs substantia nigra of the aged Parkinsonian rat. *Gene Ther* 6(12):1936-1951, 1999.
93. Vasquez EC, Beltz TG, Haskell RE, Johnson RF, Meyrelles SS, **Davidson BL**, Johnson AK. Adenovirus-mediated gene delivery to cells of the magnocellular hypothalamo-neurohypophyseal system. *Hypertension* 34(4):756-761, 1999.
94. Lam EW, Zwacka R, Seftor EA, Nieva DR, **Davidson BL**, Engelhardt JF, Hendrix MJ, Oberley LW. Effects of antioxidant enzyme overexpression on the invasive phenotype of hamster cheek pouch carcinoma cells. *Free Radic Biol Med* 27(5-6):572-579, 1999.
95. Wang G, Slepishkin V, Zabner J, Keshavjee S, Johnston JC, Sauter SL, Jolly DJ, Dubensky T, **Davidson BL**, McCray PB Jr. Feline immunodeficiency virus vectors persistently transduce non-dividing airway epithelia in vivo and correct the CF defect. *J Clin Invest* 104(11):R55-R62, 1999.
96. Stein CS, Martins I, **Davidson BL**. Long term reversal of hypercholesterolemia in low density lipoprotein receptor (LDLR)-deficient mice by adenovirus-mediated LDLR gene transfer combined with CD154 blockade. *J Gene Med* 2:41-51, 2000.
97. Wang G, Zabner J, Slepishkin V, Deering C, Shao J, Bodner M, Jolly DJ, **Davidson BL**, McCray PB Jr. Increasing epithelial junction permeability enhances gene transfer to airway epithelia in vivo. *Am J Resp Cell & Mol Biol* 22(2):129-138, 2000.
98. Durbeej M, Cohn RD, Hrstka RF, Moore SA, Allamand V, **Davidson BL**, Williamson RA, Campbell KP. Disruption of the  $\beta$ -sarcoglycan gene reveals pathogenetic complexity of limb-girdle muscular dystrophy type 2E. *Mol Cell* 5(1):141-151, 2000.
99. Toyoda K, Faraci FM, Russo AF, **Davidson BL**, Heistad DD. Gene transfer of calcitonin gene-related peptide to cerebral arteries. *Am J Physiol Heart Circ Physiol* 278(2):H586-594, 2000.
100. Haskell RE, Carr CJ, Pearce DA, Bennett MJ, **Davidson BL**. Batten Disease: Evaluation of CLN3 mutations on protein localization and function. *Hum Mol Gen.* 9(5):735-744, 2000.
101. **Davidson BL**, Stein CS, Heth JA, Martins I, Kotin RM, Derksen, TA, Zabner J, Ghodsi A, Chiorini JA. Recombinant adeno-associated virus type 2, 4 and 5 vectors: transduction of variant cell types and regions in the mammalian CNS. *Proc Natl Acad Sci, USA* 97(7):3428-3432, 2000.
102. Zabner J, Seiler M, Walters R, Kotin RM, Fulgerus W, **Davidson BL**, Chiorini JA. Adeno-associated virus type 5 (AAV5) but not AAV2 binds to the apical surfaces of airway epithelia and facilitates gene transfer. *J Virol* 74(8):3852-3858, 2000.
103. Leone P, McPhee SWJ, Janson CG, **Davidson BL**, Freese A, During MJ. Multi-site partitioned delivery of human tyrosine hydroxylase gene with phenotypic recovery in Parkinsonian rats. *NeuroReport* 11:1145-1151, 2000.
104. Anderson RD, Haskell RE, Xia H, Roessler BJ, **Davidson BL**. A simple method for the rapid generation of recombinant adenoviral vectors. *Gene Ther* 7:1034-1038, 2000.



105. Lam EWN, Hammond HM, Zwacka R, Darby CJ, Baumgardner KR, **Davidson BL**, Oberley TD, Engelhardt JF, Oberley LW. Immunolocalization and adenoviral vector-mediated manganese superoxide dismutase gene transfer to experimental oral tumors. *J Dent Res* 79:1410-1417, 2000.
106. Allamand V, Donahue KM, Straub V, Davisson RL, **Davidson BL**, Campbell KP. Early adenovirus-mediated gene transfer effectively prevents muscular dystrophy in alpha-sarcoglycan-deficient mice. *Gene Ther* 7(16):1385-1391, 2000.
107. Alisky JM, Hughes SM, Sauter SL, Jolly DJ, Dubensky TW Jr, Staber PD, Chiorini JA, **Davidson BL**. Transduction of murine cerebellar neurons with recombinant FIV and AAV5 vectors. *NeuroReport* 11(12):2669-2673, 2000
108. Griffith TS, Anderson RD, **Davidson BL**, Williams RD, Ratliff TL. Adenoviral-mediated transfer of the TNF-related apoptosis-inducing ligand/Apo-2 ligand gene induces tumor cell apoptosis. *J Immunol* 165:2886-2894, 2000.
109. Xia H, Anderson B, Mao Q, **Davidson BL**. Recombinant human adenovirus: targeting to the human transferrin receptor improves gene transfer to brain microcapillary endothelium. *J Virol* 74(23):11359-11366, 2000.
110. Alisky JM, **Davidson BL**. Gene therapy for amyotrophic lateral sclerosis and other motor neuron diseases. *Hum Gene Ther* 11(17):2315-2329, 2000.
111. Wang G, Deering C, Macke M, Shao J, Burns R, Blau DM, Holmes KV, **Davidson BL**, Perlman S, McCray PB Jr. Human coronavirus 229E infects polarized airway epithelia from the apical surface. *J Virol* 74(19):9234-9239, 2000.
112. Chu Y, Heistad DD, Cybulsky MI, **Davidson BL**. VCAM-1 Expression augments adenovirus-mediated gene transfer. *ATVB* 21(2):238-242, 2001.
113. Vasquez EC, Beltz TG, Haskell RE, Johnson RF, Meyrelles SS, **Davidson BL**, Johnson AK. Adenovirus-mediated gene delivery to cells of the magnocellular hypothalamo-neurohypophyseal system. *Exp Neurol* 167:260-271, 2001.
114. Slepishkin VA, Staber PD, Wang G, McCray PB Jr. **Davidson BL**. Infection of human airway epithelia with H1N1, H2N2, and H3N2 influenza A virus strains. *Mol Ther* 3(3):395-402, 2001
115. Jacobson N, Andrews M, Shephard AR, Nishimura D, Searby C, Fingert JH, Hageman G, Mullins R, **Davidson BL**, Kwon YH, Alward WL, Stone EM, Clark AF, Sheffield VC. Non-secretion of mutant proteins of the glaucoma gene myocilin in cultured trabecular meshwork cells and in aqueous humor. *Hum Mol Genet* 10(2):117-125, 2001.
116. Stein CS, Kang Y, Sauter SL, Townsend K, Staber P, Derksen TA, Martins I, Qian J, **Davidson BL**, McCray PB Jr. In vivo treatment of hemophilia A and mucopolysaccharidosis type VII using non-primate lentiviral vectors. *Mol Ther* 3(6):850-856, 2001
117. Xia H, Mao Q, **Davidson BL**. The HIV Tat protein transduction domain improves the biodistribution of  $\beta$ -glucuronidase expressed from recombinant viral vectors. *Nat Biotech.* 19:640-644, 2001
118. Rauma T, Kumpumäki S, Anderson R, **Davidson BL**, Ruotsalainen H, Myllylä R, Hautala T. Adenoviral gene transfer restores lysyl hydroxylase activity in type VII Ehlers-Danlos syndrome. *J Invest Dermatol* 116(4):602-605, 2001
119. Law L, **Davidson BL**. Adenovirus serotype 30 fiber does not mediate transduction via the coxsackie adenovirus receptor. *J.Virol.* 76(2):656-661, 2002.
120. Hughes SM, Moussavi-Harami F, Sauter SL, **Davidson BL**. Viral-mediated gene transfer to mouse primary neural progenitor cells. *Mol Ther* 5(1):16-24, 2002
121. Sinnayah P, Lindley TE, Staber PD, Cassell MD, **Davidson BL**, Davisson RL. Selective gene transfer to key cardiovascular regions of the brain: comparison of two viral vector systems. *Hypertension* 39(2):603-608, 2002.

122. Lotery AJ, Derksen TA, Russell SR, Mullins RF, Sauter SL, Affatigato LM, Stone EM, **Davidson BL**. Gene transfer to the non-human primate retina with recombinant feline immunodeficiency virus vectors. *Hum Gene Ther* 13:689-696, 2002.
123. Abounader R, Lal B, Luddy C, Koe G, **Davidson BL**, Rosen EM, Laterra J. In vivo targeting of SF/HGF and C-MET expression via U1snRNA/ribozymes inhibits glioma growth and angiogenesis and promotes apoptosis. *FASEB J* 16(1):108-110, 2002.
124. Seigel GM, Lotery A, Kummer A, Bernard D, Green NDE, Turmaine M, Derksen T, Nussbaum RL, **Davidson BL**, Wagner J, Mitchison HM. Retinal pathology and function in a CLN3-knockout mouse model of juvenile ceroid lipofuscinosis (Batten Disease). *Mol Cell Neurosci. Mol & Cell Neurosci.* 19:515-527, 2002
125. Derksen TA, Sauter SL, **Davidson BL**. Feline immunodeficiency virus vectors. Gene transfer to mouse retina following intravitreal injection. *J Gene Med.* 4(5):463-469, 2002.
126. Wang G, Williams G, Xia H, Hickey M, Shao J, **Davidson BL**, McCray PB Jr. Apical barriers to airway epithelial cell gene transfer with amphotropic retroviral vectors. *Gene Ther* 9(14):922-931, 2002.
127. Brooks AI, Stein CS, Hughes SM, Heth J, McCray PB Jr, Sauter SL, Johnston JC, Cory-Slechta DA, Federoff HJ, **Davidson BL**. Functional correction of established CNS deficits in an animal model of lysosomal storage disease using feline immunodeficiency virus-based vectors. *PNAS* 99(9):6216-6221, 2002.
128. Kang Y, Stein CS, Heth JA, Sinn PL, Penisten AK, Staber PD, Shen H, Barker CK, Martins I, Sharkey CM, Sanders DA, McCray PB Jr, **Davidson BL**. In vivo gene transfer using a nonprimate lentiviral vector pseudotyped with Ross River virus glycoproteins. *J Virol* 76(18):9378-9388, 2002.
129. Yang GS, Schmidt M, Yan Z, Lindbloom JD, Harding TC, Donahue BA, Engelhardt JF, Kotin RM, **Davidson BL**. Viral mediated transduction of murine retina with AAV: effects of viral capsid and genome size. *J Virol* 76(15):7651-7660, 2002.
130. Xia H, Mao Q, Paulson HL, **Davidson BL**. SiRNA-mediated gene silencing with recombinant viral vectors. *Nat Biotech* 20:1006-1010, 2002.
131. Alisky JM, van de Wetering CI, **Davidson BL**. Widespread dispersal of cholera toxin subunit b to brain and spinal cord neurons following systemic delivery. *Exp Neurol* 178:139-146, 2002.
132. Haskell RE, Hughes SM, Chiorini JA, Alisky JM, **Davidson BL**. Viral-mediated delivery of the late-infantile neuronal ceroid lipofuscinosis gene, TPP I to the mouse central nervous system. *Gene Ther* 10:34-42, 2003.
133. De Perrot M, Fischer S, Liu M, Imai Y, Martins S, Sakiyama S, Tabata T, Bai XH, Waddell TK, **Davidson BL**, Keshavjee S. Impact of human interleukin-10 on vector induced inflammation and early graft function in rat lung transplantation. *Am J Resp Cell & Mol Biol.* 28(5):616-625, 2003..
134. Mao Q, Foster BJ, Xia, H, **Davidson BL**. Membrane topology of CLN3, the protein underlying Batten Disease. *FEBS Lett* 541(1-3):40-46, 2003.
135. Kim M, Mao Q, **Davidson BL**, Wiemer, DF. Tripeptide probes for tripeptidyl protease I production via gene transfer. *J Med Chem* 46(9):1603-1608, 2003.
136. Sinn PL, Hickey MA, Staber PD, Dylla DE, Jeffers DA, **Davidson BL**, Sanders DA, McCray PB Jr. Lentivirus vectors pseudotyped with filoviral envelope glycoproteins transduce airway epithelia from the apical surface independently of folate receptor alpha. *J Vriol* 77(10):5902-5910, 2003.
137. Miller VM, Xia H, Marrs GL, Gouvion CM, Lee G, **Davidson BL**, Paulson HL. Allele-specific silencing of dominant disease genes. *PNAS* 100(12):7195-7200, 2003.
138. Gonzalez-Alegre P, Miller VM, **Davidson BL**, Paulson HL. Toward therapy for DYT1 dystonia: allele-specific silencing of mutant TorsinA. *Ann Neurol* 53:781-787, 2003.

139. **Davidson BL**, XO Breakefield. Viral vectors for gene delivery to the nervous system. *Nat Rev Neurosci* 4:353-364, 2003.
140. Elzey BD, Tian J, Jensen RJ, Swanson AK, Lees JR, Lentz SR, Stein CS, Nieswandt B, Wang Y, **Davidson BL**, Ratliff TL. Platelet-mediated modulation of adaptive immunity. A communication link between innate and adaptive immune compartments. *Immunity* 19(1):9-19, 2003.
141. Alisky JM, Hughes SM, **Davidson BL**. Transduction of neurons lining the cerebral external capsules in mice with feline immunodeficiency virus based vectors. *Neurosci Lett* 351:120-124, 2003.
142. Mao Q, Xia H, **Davidson BL**. Intracellular trafficking of CLN3, the protein underlying the childhood neurodegenerative disease, Batten disease. *FEBS Lett* 555:351-357, 2003.
143. DiPasquale G, **Davidson BL**, Stein CS, Martins I, Scudiero D, Monks A, Chiorini JA. Identification of PDGFR as a receptor for AAV-5 transduction. *Nat Med* 9(10):1306-1312, 2003.
144. Lotery AJ, Yang GS, Mullins RF, Russell SR, Schmidt M, Stone EM, Lindbloom JD, Chiorini JA, Kotin RM, **Davidson BL**. Adeno-associated virus type 5: transduction efficiency and cell-type specificity in the primate retina. *Hum Gene Ther* 14:1663-1671, 2003.
145. **Davidson BL**. Hepatic diseases – hitting the target with inhibitory RNAs. *New Engl J Med* 349(24):2357-2359, 2003.
146. Miller VM, Gouvion CM, **Davidson BL**, Paulson HL. Targeting Alzheimer's disease genes with RNA interference: an efficient strategy for silencing mutant alleles. *Nucleic Acids Res* 32(2):661-668, 2004
147. **Davidson BL**, Paulson HL. Molecular medicine for the brain: silencing of disease genes with RNA interference. *The Lancet Neurology* 3(3):145-149, 2004
148. Alisky JM, **Davidson BL**. Towards therapy using RNA interference. *Am J Pharmacogenomics* 4(1):45-51, 2004.
149. Sinnayah P, Lindley TE, Staber PD, **Davidson BL**, Cassell MD, Davisson RL. Targeted viral delivery of Cre recombinase induces conditional gene deletion in cardiovascular circuits of the mouse brain. *Physiol Genomics* 18(1):25-32, 2004.
150. Xia H, Mao Q, Eliason SL, Harper SQ, Martins IH, Orr HT, Paulson HL, Yang L, Kotin RM, **Davidson BL**. RNAi suppresses polyglutamine-induced neurodegeneration in a model of spinocerebellar ataxia. *Nat Med* 10(8):816-820, 2004.
151. Sleat EA, Wiseman JA, El-Banna M, Kim KH, Mao Q, Price S, Macauley SL, Sidman RL, Shen MM, Zhao Q, Passini MA, **Davidson BL**, Stewart GR, Lobel P. A mouse model of classical late-infantile neuronal ceroid lipofuscinosis based on targeted disruption of the CLN2 gene results in a loss of tripeptidyl-peptidase I activity and progressive neurodegeneration. *J Neurosci* 24(41):9117-9126, 2004.
152. Martins S, de Perrot M, Imai Y, Yamane M, Quardri SM, Segall L, Dutly A, Sakiyama S, Chaparro A, **Davidson BL**, Waddell TJ, Liu M, Keshavjee S. Transbronchial administration of adenoviral-mediated interleukin-10 gene to the donor improves function in a pig lung transplant model. *Gene Ther* 11:1786-1796, 2004.
153. Stein CS, Martins I, **Davidson BL**. The lymphocytic choriomeningitis virus envelope glycoprotein targets lentiviral gene transfer vector to neural progenitors in the murine brain. *Mol Ther* 11(3):382-389, 2005.
154. Harper SQ, Staber PD, He X, Eliason SL, Martins IH, Mao Q, Yang L, Kotin RM, Paulson HL, **Davidson BL**. RNA interference improves motor and neuropathological abnormalities in a Huntington's disease mouse model. *PNAS* 102(16):5820-5825, 2005

---

*Non-peer reviewed*

---

- 1991 Biochemistry and Clinical Aspects of Inherited Disorders of Purine and Pyrimidine Metabolism, Munich, Germany

---

*Theme Editor*

---

1. **Davidson BL**: The genetic basis of hypoxanthine-guanine phosphoribosyltransferase deficiency states in humans. Doctoral dissertation. Horace Rackham School of Graduate Studies, University of Michigan, 1988.

---

*Chapters*

---

1. **Davidson BL**, Palella TD, Kelley WN. "Hypoxanthine-guanine phosphoribosyltransferase deficiency: Molecular basis and clinical relevance." In: Genetic and Therapeutic Aspects of Lipid and Purine Metabolism, Wolfram G, ed. Berlin: Springer-Verlag, pp. 57-66, 1989.
2. **Davidson BL**, Roessler BJ. "Genetic basis of hypoxanthine-guanine phosphoribosyltransferase (HPRT) deficiency." In: Molecular Genetics, Biochemistry and Clinical Aspects of Inherited Disorders of Purine and Pyrimidine Metabolism, Gresser U, Zollner N, eds. Berlin: Springer-Verlag, Vol. 1A, Ch. 5, pp. 33-40, Aug. 1993.
3. **Davidson BL**, Roessler BJ. "Adenoviral mediated gene transfer: Potential therapeutic applications". In: Viral Vectors: Tools for the Study and Genetic Manipulation of the Nervous System, Kaplitt M, ed. Academic Press, New York: 1995.
4. **Davidson BL**. The limitations of CNS directed gene transfer. Invited review of Neuwelt EA, Pagel MA, Geller A, Muldoon LL, "Gene replacement therapy in the central nervous system: Viral vector mediated gene therapy of global neurodegenerative disease". Behavioral and Brain Sciences "Neuroscience II - Neural Transplantation"; 18:54-55, March 1995.
5. Betz AL, **Davidson BL**. "Viral vectors for gene therapy in cerebral ischemia". The Pharmacology of Cerebral Ischemia, J.Kriegelstein, ed. Wissenschaftliche Verlagsgesellschaft, Stuttgart, pp. 515-523, 1996.
6. Stein CS, **Davidson BL**. Gene transfer to the brain using feline immunodeficiency virus-based lentivirus vectors. Methods in Enzymology, 346:433-454, 2002.
7. Chiorini JA, **Davidson BL**. Recombinant adeno-associated virus vector types 4 and 5: preparation and application for CNS gene transfer. Methods in Molecular Medicine, Chapter 14, 269-285, 2003.
8. Alisky J & **Davidson BL**. Gene transfer to brain and spinal cord using recombinant adenoviral vectors. In: Methods in Molecular Biology, Volume 246, Gene delivery to mammalian cells: methods and protocols. Chapter 7, pp. 91-120, 2003.
9. **Davidson BL**. Generating adenoviruses for shRNA or siRNA delivery. In RNA Interference: Nuts and Bolts, Chapter 10, 209-219, 2003.
10. **Davidson BL**, Harper SQ. Viral delivery of recombinant short hairpin RNAs. Meth Enzymol 392:145-173, 2005.

---

*Abstracts*

---

1. **Davidson BL**, Palella TD, Wilson JM, Dadonna PE, O'Toole TE, Kelley WN. A molecular survey of HPRT deficiency. Clin Res 33:619A, 1985.
2. Palella TD, **Davidson BL**, Wilson JM, Dadonna PE, Kelley WN. A molecular survey of HPRT deficiency. XVI International Congress of Rheumatology, Sydney, Australia, 1985.
3. **Davidson BL**, Palella TD, Wilson JM, Dadonna PE, O'Toole TE, Kelley WN. A molecular survey of HPRT deficiency. Arthritis Rheum 28:S34, 1985.
4. **Davidson BL**, Palella TD, Wilson JM, Kelley WN. Cloning and nucleotide sequence of a mutant HPRT cDNA from a patient with gout. Am J Hum Genet 37:A150, 1985.
5. Palella TD, **Davidson BL**, Wilson JM, Kelley WN. Cloning and nucleotide sequence of a mutant hypoxanthine guanine phosphoribosyltransferase (HPRT) cDNA from a patient with gout. Arthritis Rheum 29:S33, 1986.
6. **Davidson BL**, Palella TD, Fujimori S, Kelley WN. Structural consequences of mutations at the HPRT locus in nine deficient subjects. Arthritis Rheum 31:587, 1988.
7. **Davidson BL**, Palella TD, Fujimori S, Kelley WN. Structural consequences of point mutations in nine human HPRT variants. Ped Res 24:115, 1988.

8. Fujimori S, **Davidson BL**, Palella TD, Kelley WN. Lesch-Nyhan syndrome due to a single nucleotide change in the hypoxanthine-guanine phosphoribosyltransferase gene (HPRTYale). *Ped Res* 24:117, 1988.
9. **Davidson BL**, Fujimori S, Kelley WN, Palella TD. A unique mutation (deletion) in the human hypoxanthine guanine phosphoribosyltransferase gene identified from a patient with partial enzyme deficiency and gout. *Human Genet* 0253, 1988.
10. Palella TD, Fujimori S, **Davidson BL**, Kelley WN. Molecular genetics of human hypoxanthine-guanine phosphoribosyltransferase deficiency. *Yokohama Medical Bulletin* 39:88, 1988.
11. **Davidson BL**, Palella TD, Pashmforoush M, Gibbs DA, Watts RWE, Kelley WN. Characterization of spontaneous mutations in the hypoxanthine guanine phosphoribosyltransferase locus in humans. *Clin Res* 37:540A, 1989.
12. **Davidson BL**, Roessler BJ, Palella TD. Expression of human hypoxanthine-guanine phosphoribosyltransferase in *E. coli*. *Arthritis Rheum* 33(7 suppl):B40, S78, 1990.
13. **Davidson BL**, Krauss JC, Chen S-J, Wilson JM, Palella TD, Roessler BJ. Expression of bacterial b-galactosidase in the peripheral blood of mice after reconstitution with genetically transformed bone marrow. *Clin Res* 39:282A, 1991.
14. **Davidson BL**, Roessler BJ, Palella TD. Expression of normal and variant human hypoxanthine-guanine phosphoribosyltransferase in *E. coli*. *International Journal of Purine and Pyrimidine Research* 2(1 suppl):32, 1991.
15. Palella TD, **Davidson BL**, Roessler BJ, Wilson JM, Kelley WN. The molecular genetic basis of gene therapy for the Lesch-Nyhan syndrome. *International Journal of Purine and Pyrimidine Research* 2(1 suppl):214, 1991.
16. Plumb TJ, Duncan GA, Wright TM, **Davidson BL**, Roessler BJ. Development of retroviral vectors containing a human macrophage specific promoter. *Proceedings of the Nebraska Academy of Sciences 102nd Annual Meeting*, Lincoln, NE; 1992, p.84.
17. Roessler BJ, **Davidson BL**. Genetic modification of synoviocytes *In vivo* using recombinant adenoviral vectors. *J Cell Biochem* 17E(Suppl):240, 1993.
18. **Davidson BL**, Roessler BJ. Adenoviral mediated gene transfer to cellular components of the central nervous system *In vivo*. *J Cell Biochem* 17E(Suppl):236, 1993.
19. Roessler BJ, **Davidson BL**. Genetic modification of synoviocytes *In vivo* using recombinant adenoviral vectors. *Clin Res* 41(2):171A, 1993.
20. Powers D, Bayliss G, **Davidson BL**, Roessler BJ, Strahler J, Hanash S, Richardson BC. T cells express multiple proteins structurally related to DNA methyltransferase. *Clin Res* 41(2):316A, 1993.
21. **Davidson BL**, Weber CH, Roessler BJ, Ludwig ML. Expression, purification, and preliminary crystallization data of recombinant human HPRT. *Arthritis Foundation Research Conference*, Phoenix, Arizona, 1993; Abstract book, pg. 87.
22. Hartman JW\*, **Davidson BL**, Roessler BJ. Genetic modification of synoviocytes *In vivo* using recombinant adenoviral vectors. *Arthritis Rheum* 36:S64, 1993 (\*ACR Medical Student Achievement Award)
23. Doran SE\*, Roessler BJ, Hartman JW, Hoff JT, **Davidson BL**. Adenovirus mediated *In vivo* gene transfer into the CNS of a non-human primate. *Proceedings of the 1993 Congress of Neurological Surgeons*, p.77. (\*Residents Award, Congress of Neurological Surgeons)
24. Li T, Berson EL, Dryja TP, Roessler BJ, **Davidson BL**. *In vivo* gene transfer to normal and *rd* mouse retinas mediated by adenoviral vectors. *Invest Ophthalmol Vis Sci* 35(4):1716, 1994.
25. Shewach DS, Zerbe LK, Breakefield XO, **Davidson BL**. Approaches to enhance gene transfer therapy with herpes simplex virus thymidine kinase in cultured rat glioma cells. *Proceedings of the American Association for Cancer Research* 3:374, 1994. (\*Plenary session)
26. McCoy RD, **Davidson BL**, Roessler BJ, Strieter RM, Simon RH. *In vivo* expression of human interleukin-1 receptor antagonist in mouse lung using an adenoviral vector. *American Lung Association/American Thoracic Society International Conference*, 1994, Boston, Massachusetts. *Amer J Respir Critical Care Med* 149(4):A237, 1994. (\*Plenary session)
27. **Davidson BL**, Croyle MA, Roessler BJ, Amidon GL. Pharmaceutical stabilization of adenoviral vectors. *Meeting of the Controlled Release Society*, June 24-30, 1994, Nice, France. *Proc Int Symp Control Rel Bioact Mater* 21:796 (Abstract 1433), 1994.

28. Boklye K, **Davidson BL**, Hurlbert C, Ross BD. Assessment of efficacy of ganciclovir toxicity following adenoviral mediated gene transfer of the herpes simplex virus type I thymidine kinase gene in experimental intracranial gliomas using 1H MRS and MRI. 2nd Meeting of the Society of Magnetic Resonance in Medicine, 1994, San Francisco, California; In press 1994.
29. Vallance DK, **Davidson BL**, Roessler BJ. Transgenic expression of soluble VCAM-1 by synoviocytes inhibits lymphocyte binding in vitro. Arthritis Rheum, submitted 1994.
30. Chen Y, **Davidson BL**, Marks RM, Suarez TM, Roessler BJ. Adenovirus-mediated transduction of the interleukin-8 gene into synoviocytes. Arthritis Rheum, submitted 1994.
31. **Davidson BL**, Shewach DS, Kim B, Ross BD. *In vivo* magnetic resonance imaging and magnetic resonance spectroscopy of a rat glioma model following adenoviral gene transfer of the HSV-I *tk* gene and GCV treatment. Cold Spring Harbor Laboratory Conference on Gene Therapy, (Abstract 180), Cold Spring Harbor, New York, 1994..
32. During MJ, Kaplitt MG, Leone P, **Davidson BL**, Xiao X, Samulski RJ, Elsworth JD, Roth RH, Sladek JR Jr., Redmond DE, O'Malley KL. AAV and adenovirus mediated transfer of human tyrosine hydroxylase and aromatic acid decarboxylase genes into rat and primate brain. Cold Spring Harbor Laboratory (Abstract 190), Cold Spring Harbor, New York, 1994.
33. McCoy RD, **Davidson BL**, Roessler BJ, Simon RH. Pulmonary inflammation induced by adenovirus-based gene therapy vectors is caused in part by the vector particle itself. Amer J Respir Critical Care Med, submitted 1995.
34. Zerbe LK, Hughes TL, Joseph SA, **Davidson BL**, Shewach DS. Rapid cytotoxicity with ganciclovir following adenovirus or retrovirus transduction of glioma cells with herpes virus thymidine kinase. American Association for Cancer Research, submitted 1995.
35. Goebel EA, **Davidson BL**, Graham SM, Kern JA. A recombinant adenovirus vector, efficiently transduces foreign genes into human head and neck squamous cell carcinoma cell lines. Society of Head & Neck Surgery, University of Iowa College of Medicine, Iowa City, Iowa, submitted 1994.
36. Ooboshi H, Welsh MJ, Rios CD, **Davidson BL**, Heistad DD. Adenovirus-mediated gene transfer to cerebral blood vessels *In vivo*. Experimental Biology, 1995.
37. Rios CD, Welsh MJ, Ooboshi H, Piegors D, **Davidson BL**, Heistad DD. Adenovirus-mediated gene transfer to normal and atherosclerotic arteries *In vivo*. Experimental Biology, 1995.
38. Goebel EA, **Davidson BL**, Graham SM, Kern JA. An adenovirus using a RSV promoter, efficiently transduces human head and neck squamous cell carcinoma cell lines - implications for gene therapy and head and neck carcinoma. American Academy of Otolaryngology, 1995.
39. Welling T, **Davidson BL**, Gordon D, Roessler B, Stanley J, Messina L. Pharmacologic serum concentrations of IL-1 receptor antagonist (IL-1ra) using a novel method of direct adenoviral mediated gene transfer to skeletal muscle microcirculation in the rat hind leg. FASEB, In press 1995.
40. Richardson BC, Williams RM, **Davidson BL**. Use of DNA methylation inhibitors to increase transgene expression. Clinical Research Meeting, 1995.
41. Neuwelt EA, Nilaver G, Muldoon LL, Pagel MA, **Davidson BL**, Breakefield XO, Weissleder R. Maximizing delivery of viruses and virus sized particles to nude rat intracerebral human lung carcinoma xenografts. Submitted, 1995 Cerebral Vascular Biology Conference, 1995.
42. Walter E, Croyle MA, **Davidson BL**, Roessler BJ, Hilfinger JM, Amidon GL. Caco-2 cells as an in vitro model for adenoviral gene transfer to the gut epithelium. Fifth International Symposium on "Delivery and Targeting of Peptides and Genes", 1995.
43. Nilaver G, Muldoon L, Breakefield XO, **Davidson BL**, Neuwelt EA. Delivery of herpesvirus and adenovirus to nude rat intracerebral tumors following osmotic blood-brain barrier disruption. American Association of Neurological Surgeons, 1995.
44. Plumb TJ, Bosch A, Roessler BJ, Brian JE, Shewach DS, **Davidson BL**. Biochemical analysis of a mouse model of Lesch-Nyhan Syndrom and the potential for treatment of CNS manifestations by gene transfer. Society for Neuroscience 1995; 21(1):20.
45. Freese A, During M, Kaplitt M, **Davidson BL**, O'Malley K, Flamm E, Gennarelli T, Snyder P. A novel gene therapy approach to pituitary adenomas. Society for Neuroscience 1995; 21(3):2135.

46. Castillo BV, del Cerro M, **Davidson BL**, Federoff HJ, Geschwind MD, Bohn MC. LacZ gene transfer to rat RPE cells *in vitro* using herpes and adenoviral vectors. Society for Neuroscience 1995; 21(2):821
47. Lin O, Choi-Lundberg DL, Ravenell J, Chang YN, Chiang YL, Hay CM, **Davidson BL**, Bohn MC. Adenoviral (Ad)-mediated gene transfer of GDNF and  $\beta$ -galactosidase (LacZ) to the rat nigrostriatal system *in vitro* and *in vivo*.
48. Muldoon LL, Nilaver G, Kroll RA, Breakefield XO, Chiocca A, Weissleder R, **Davidson BL**. Delivery of genetic material across the blood-brain barrier adenovirus, herpesvirus, MION. International Conference on Gene Therapy for CNS Disorders, 1995.
49. Hagan P, Barks JDE, Yabut M, **Davidson BL**, Roessler BJ, Silverstein FS. Adenovirus-mediated over-expression of interleukin-1 receptor antagonist (IL-1ra) in perinatal rat brain decreases susceptibility to excitotoxic injury. Child Neurology Society (CNS) 24th Annual Meeting, 1995.
50. Hagan P, Yabut M, **Davidson BL**, Roessler BJ, Barks JDE, Silverstein FS. Adenovirus-mediated gene transfer of interleukin-1 receptor antagonist (IL-1RA) into perinatal rat brain protects against NMDA-induced injury. Society for Neuroscience, 1995; 21(1):74.
51. Castillo BV, del Cerro M, **Davidson BL**, Federoff HJ, Geschwind MD, Bohn MC. LAC Z gene transfer to rat RPE cells *in vitro* using herpes and adenoviral vectors, 1995.
52. Ooboshi H, Rios CD, Faraci FM, **Davidson BL**, Heistad DD. Adenovirus-mediated gene transfer to aorta of atherosclerotic monkeys *in vitro*. American Heart Association, 68th Scientific Sessions, 1995.
53. Lamping KG, Rios CD, Ooboshi H, **Davidson BL**, Heistad DD. Intrapericardial administration of adenovirus for gene transfer. American Heart Association, 68th Scientific Sessions, 1995.
54. Goebel EA, **Davidson BL**, Graham SM, Kern JA. Cytotoxic gene transfer decreases tumor growth in a severe combined immunodeficient (SCID) mouse model of head and neck cancer (HNC). The American Laryngological, Rhinological and Otological Society, Inc. (The Triological Society), 1995.
55. McCray PB, Thomas P, Faasee T, Wang G, O'Brien L, **Davidson BL**. Proliferation indices of pulmonary epithelia during human lung development: Targeting gene transfer with integrating vectors. Cystic Fibrosis Foundation, 1996 International Conference, 1995.
56. Lamping KG, Rios CD, Chun JA, Ooboshi H, **Davidson BL**, Heistad DD. Intrapericardial administration of adenovirus for gene transfer. Experimental Biology '96, 1995.
57. Meyrelles SS, Sharma RV, Whiteis CA, **Davidson BL**, Chappleau MW. Adenoviral-mediated gene transfer into baroreceptor neurons. Experimental Biology '96 , 1995.
58. Ooboshi H, Chu Y, Rios CD, Faraci FM, **Davidson BL**, Heistad DD. Adenovirus-mediated gene transfer to atherosclerotic monkeys aorta *ex vivo*. Experimental Biology '96, 1995.
59. Christenson SD, Ooboshi H, Faraci F, **Davidson BL**, Heistad DD. Approaches to enhance expression after adenovirus-mediated gene transfer to carotid artery. Experimental Biology '96, 1995.
60. Plumb TJ, Bosch A, Shewach DS, **Davidson BL**. Biochemical and molecular evidence of HPRT gene transfer in the central nervous system of a mouse model for lesch-nyhan syndrome. Midwestern AFCR 1995.
61. Bosch A, Plumb TJ, Pemberton JL, **Davidson BL**. Hypoxanthine phosphoribosyltransferase gene transfer in the central nervous system of a Lesch-Nyhan Syndrome mouse model: Biochemical and behavioral analysis. Biomedicine '96, Washington, DC.
62. Castillo BV, del Cerro M, **Davidson BL**, Federoff HJ, Geschwind MD, Bohn MC. Genetic modifications of rat RPE cells using herpes and adenoviral vectors, Neuroscience 1995.
63. Goebel EA, **Davidson BL**, Graham SM, Kern JA. Cytotoxic gene transfer results in a size reduction of established head and neck squamous cell carcinoma (HNSCC) nodules in a mouse model. Biomedicine '96, Washington, DC.
64. Goebel EA, **Davidson BL**, Graham SM, Kern JA. Cytotoxic gene transfer results in a size reduction of established head and neck squamous cell carcinoma (HNSCC) nodules in a mouse model. 4th International Conference on Head & Neck Cancer, Toronto, 1996.
65. Ooboshi H, Rios CD, Chu Y, Christenson SD, Faraci FM, **Davidson BL**, Heistad DD. Augmented adenovirus-mediated gene transfer to atherosclerotic aorta. Biomedicine '96, Washington, DC.
66. Ooboshi H, Chu Y, Rios CD, Faraci FM, **Davidson BL**, Heistad DD. Adenovirus-mediated gene transfer to atherosclerotic monkey aorta *ex vivo*. FASEB (10)3:A617, 1996.

67. Christenson SD, Ooboshi H, Faraci F, **Davidson BL**, Heistad DD. Approaches to enhance expression after adenovirus-mediated gene transfer to carotid artery. *FASEB* (10)3:A276, 1996.
68. Lamping KG, Rios CD, Chun JA, Ooboshi H, **Davidson BL**, Heistad DD. Intrapericardial administration of adenovirus for gene transfer. *FASEB* (10)3:A276, 1996.
69. Meyrelles SS, Sharma RV, Whiteis CA, **Davidson BL**, Chapleau MW. Adenoviral-mediated gene transfer into baroreceptor neurons. *FASEB* (10)3:A62, 1996.
70. Hendricks Taylor LR, Bosch A, **Davidson BL**, Koretzky GA. Modulation of the immune response by recombinant adenoviral CTLA4. *Keystone Symposium*, 1996.
71. Fabrega AJ, Struble S, Corwin C, Martin M, **Davidson BL**, Bosch A, Zabner J. Barriers to Long-Term Gene Expression after Adenovirus-Mediated Gene Transfer to Rat Hepatocytes. 82nd Clinical Congress of American College of Surgeons, Chicago, IL, 1996.
72. **Davidson BL**, Bosch A, Berg D. Alternative Approaches to the Treatment of Inflammatory Bowel Disease. *Controlled Release Society*, Kyoto, Japan, 1996.
73. Gancher S, Muldoon L, Pagel M, **Davidson BL**. Intrastriatal Injection of Adenovirus Expressing Tyrosine Hydroxylase Attenuates Rotational Behavior in 6-OHDA Rats by Preventing Agonist-Induced Sensitization. *Soc. for Neuroscience*, 1996, Washington, D.C.
74. Bosch A, Pemberton JL, Plumb TJ, **Davidson BL**. Increased Aggression but not Self Injurious Behavior in Hypoxanthine Phosphoribosyltransferase Deficient Mice Treated With an Adenine Phosphoribosyltransferase Inhibitor. *Soc. for Neuroscience*, 1996, Washington, D.C.
75. Choi-Lundberg DL, Lin Q, Mohajeri H, Chang YN, Chiang YL, Hay CM, **Davidson BL**, Bohn MC. GDNF Delivered via an Adenoviral Vector (Ad) Protects Rat Dopaminergic (DA) Neurons from Degeneration. *Soc. for Neuroscience*, 1996, Washington, D.C.
76. Beer SJ, Stein CS, Hilfinger JM, Tsume Y, Traynelis VC, **Davidson BL**. Encapsulated Adenovirus: A novel Method for the Intracerebral Delivery of Adenovirus in Glioma Treatment. *Soc. for Neuroscience*, 22(2):370.14, 1996, Washington, D.C.
77. Ooboshi H, Chu Y, Rios CD, Faraci FM, **Davidson BL**, Heistad DD. Altered Vascular Function by Adenovirus-Mediated Overexpression of Endothelial Nitric Oxide Synthase Ex Vivo. *Midwestern AFCR* 1996.
78. Gross TJ, Powers LS, **Davidson BL**, Hunninghake GW. Urokinase Gene Transfer Increases Pleural Fibrinolytic Activity. *Midwestern AFCR* 1996.
79. Miller FJ, Gutterman DD, **Davidson BL**. Adenovirus Mediated Gene Transfer to Isolated Canine and Human Coronary Conduit and Resistance Vessels. 69th Scientific Session, Amer. Heart Assoc.
80. Bosch A, McCray PB, Chang SMW, Ulich TR, Simoney WS, Jolly DJ, **Davidson BL**. Proliferation induced by growth factors enhances in vivo retroviral-mediated gene transfer to hepatocytes. *Cold Spring Harbor*, New York, 1996.
81. Choi-Lundberg DL, Lin Q, Mohajeri H, Chang YN, Chiang YL, Hay CM, **Davidson BL**, Bohn MC. GDNF gene therapy protects dopaminergic (DA) neurons from degeneration in a rat model of Parkinson's Disease (PD). *Cold Spring Harbor*, New York, 1996.
82. Christenson SD, Ooboshi H, Faraci FM, **Davidson BL**, Heistad DD. In vivo adenovirus-mediated gene transfer to cerebral blood vessels and perivascular tissue in mice. *Stroke*, 1997.
83. Bosch A, McCray PB, Jolly DJ, Chang SMW, **Davidson BL**. Keratinocyte growth factor induced proliferation in hepatocytes allows for efficient retroviral-mediated gene transfer in mouse liver. *Keystone Symposia*, Colorado, 1997.
84. Stein CS, van Rooijen N, Pemberton J, **Davidson BL**. Treatment with clodronate and anti-CD40L antibody allows repeat delivery of recombinant adenovirus to liver. *Keystone Symposia*, Colorado, 1997.
85. Choi-Lundberg DL, Lin Q, Hason M, Chang Y-N, Chiang YL, Hay CM, **Davidson BL**, Bohn MC. A GDNF Adenoviral Vector Protects Dopaminergic (DA) Neurons from 6-OHDA Induced Degeneration. 6th Intl Neural Transplantation Mtg.
86. Choi-Lundberg DL, Lin Q, Bardwaj L, **Davidson BL**, Chang Y-N, Chiang YL, Bohn MC. Striatal Injection of a GDNF Adenoviral Vector (Ad) Partially Protects Dopaminergic (DA) Neurons from 6-OHDA. 6th Intl Neural Transplantation Mtg.
87. Berman CJ, **Davidson BL**, Lubaroff D. Use of Adenovirus Delivered Herpes Thymidine Kinase Gene for Cytoreductive Therapy of Prostate Cancer Using the Dunning Rat Model. *American Urological Assn*, 1997, New Orleans, LA.



88. Meyrelles SS, Sharma RV, **Davidson BL**, Chapleau MW. Selective Induction of Endogenous  $\beta$ -Gal Gene Expression in Nodose Sensory Neurons In Vivo. *Experimental Biology*, 1997.
89. Lund DD, Ooboshi H, Faraci FM, **Davidson BL**, Heistad DD. Adenovirus-mediated Gene Transfer to Rabbit Carotid and Basilar Arteries Ex Vivo. *Experimental Biology*, 1997.
90. Ooboshi H, Faraci FM, Chu Y, Rios CD, **Davidson BL**, Heistad DD. Augmented Relaxation of Carotid Artery Following Adenovirus-mediated Gene Transfer of Endothelial Nitric Oxide Synthase. *International Symposium "Brain 97"*.
91. Ooboshi H, Fasbender AJ, **Davidson BL**, Welsh MJ, Faraci FM, Heistad DD. Augmentation of Adenovirus-mediated Gene Transfer to Rabbit Carotid Artery with Polycationic Polymers and Cationic Lipids. *International Symposium "Brain 97"*.
92. Qian J, Lin Q, Choi-Lundberg DL, Mohajeri H, Chang Y-N, Chiang Y-L, **Davidson BL**, Powers JM, Bohn MC. Retroviral (RV) and Adenoviral (Ad) Transduction of Glial Cells With Glial Cell Line-Derived Neurotrophic Factor (GDNF). *Neuropathology Meeting*, Pittsburgh, PA, June, 1997.
93. Rios CD, Lang MG, Chu Y, Oberley L, Faraci FM, Crapo JD, **Davidson BL**, Heistad DD. Adenovirus-mediated Gene Transfer of Human Extracellular Superoxide Dismutase. *J Invest Med*, 45:212A, 1997.
94. Lund DD, Ooboshi H, Faraci FM, **Davidson BL**, Heistad DD. Augmented Transgene Expression after Adenovirus-mediated Gene Transfer in Watanabe Heritable Hyperlipidemic Rabbit Carotid and Basilar Arteries Ex Vivo. *J Invest Med*, 45:222A, 1997.
95. Fabrega AJ, Bosch A, Struble S, Oppenheim S, Emery S, Corwin C, **Davidson BL**, Zabner J. Transplantation of Allogeneic Hepatocytes Expressing h-IL10 Gene into Dalmatian Dogs: *In Vitro* and *In Vivo* Studies. *American Society of Transplant Surgeons 23rd Annual Mtg.*, Chicago, IL, May, 1997.
96. Toyoda K, Ooboshi H, Lang M, Faraci F, **Davidson BL**, Heistad D. Improvement of Relaxation in Carotid Artery of Atherosclerotic Rabbits by Gene Transfer of Endothelial Nitric Oxide Synthase. *18th Intl. Symposium on Cerebral Blood Flow & Metabolism*, June, 1997, Williamsburg, VA.
97. Bohn MC, Choi-Lundberg DL, Lawrence MS, Leranath C, Smith JC, **Davidson BL**, Redmond, DE Jr. Prolonged Transgene Expression from an Adenoviral Vector Injected into Primate Striatum. *Soc. for Neuroscience*, 1997.
98. Kaiser M, Young DD, Liu CY, Leone P, **Davidson BL**, Xie H, During MJ. Phenotypic Recovery in Parkinsonian Rats: Relationship Between Numbers of Transduced Cells and Behavior using an Adenoviral Vector Expressing Tyrosine Hydroxylase. *Soc. for Neuroscience*, 1997.
99. Haskell RE, Derksen TA, **Davidson BL**. Intracellular Localization of the Batten Disease Gene. *Soc. for Neuroscience*, 1997.
100. Chillon M, Bosch A, Armentano D, Gregory RJ, Campbell KP, Welsh MJ, **Davidson BL**. Infection of Primary CNS Cells by Different Adenoviral Serotypes: Searching for a More Efficient Vector. *Soc. for Neuroscience*, 1997.
101. Bosch A, van Rooijen N, Fellows RE, **Davidson BL**. Macrophage Depletion Prolongs Adenoviral-Mediated Gene Expression in Brain. *Soc. for Neuroscience*, 1997.
102. Bohn MC, Choi-Lundberg DL, Lawrence MS, Leranath C, Smith JC, **Davidson BL**, O'Banion MK, Redmond DE. *Soc. for Neuroscience*, 1997.
103. Choi-Lundberg DL, Lin O, Bardwaj L, Qian J, **Davidson BL**, Schallert T, Crippens D, Chang Y-N, Chiang YL, Bohn MC. Behavioral and Cellular Protection of Rat Dopaminergic (DA) Neurons Elicited by a GDNF Adenoviral Vector (Ad). *Soc. for Neuroscience*, 1997.
104. Miller FJ, Mozena JD, Gutterman DD, **Davidson BL**. In Situ Visualization of Reactive Oxygen Species in Atherosclerosis. *American Heart Assn.*, 1997.
105. Miller FJ, Gutterman DD, Heistad DD, **Davidson BL**. Gene Transfer of Superoxide Dismutase Reduces Superoxide Anion But Does Not Improve Endothelial Dependent Relaxation in Atherosclerosis. *American Heart Assn.*, 1997.
106. Toyoda K, Ooboshi H, Lang MG, Faraci FM, **Davidson BL**, Heistad DD. Gene Transfer of Endothelial Nitric Oxide Synthase Improves Vascular Function in Atherosclerotic Rabbits. *American Heart Assn.*, 1997.
107. Lang MG, Faraci FM, Toyoda K, Ooboshi H, Rios CD, Chu Y, Crapo JD, **Davidson BL**, Heistad DD. Gene Transfer of Superoxide Dismutase to Carotid Artery Improves Relaxation to Acetylcholine. *American Heart Assn.*, 1997.

108. Wang G, Appleton E, Nakamura T, Matsumoto K, **Davidson BL**, McCray PB. Growth Factors Stimulate Proliferation of Differentiated Human Airway Epithelia. Cystic Fibrosis 11th Annual North American Conf., Nashville, TN, Oct. 1997.
109. McCray PB, Travis S, Singh P, Conway BD, Forssmann W-G, Lawyer C, Anderson RD, **Davidson BL**, Welsh MJ. Expression and Activity of Human  $\beta$ -Defensin-1 (hBD-1). Cystic Fibrosis 11th Annual North American Conf., Nashville, TN, Oct. 1997.
110. Wang G, Kline NJ, Zabner J, Bodner M, Jolly DJ, Thomas PA, **Davidson BL**, McCray PB. Growth Factor Induced Proliferation Facilitates Retroviral-mediated Gene Transfer to Pulmonary Epithelia. Cystic Fibrosis 11th Annual North American Conf., Nashville, TN, Oct. 1997.
111. Fasbender A, Zabner J, Chillon M, Moniger TO, Puga AP, **Davidson BL**, Welsh MJ. Complexes of Adenovirus with Polycationic Polymers and Cationic Lipids Increase the Efficiency of Gene Transfer In Vitro and In Vivo. *J Invest. Med.* 45:287A, 1997.
112. Toyoda K, Ooboshi H, Fasbender A, Chu Y, **Davidson BL**, Welsh MJ, Heistad DD. Enhanced Gene Transfer to Carotid Artery Using Complexes of Adenovirus with Cationic Nonviral Vectors. American Heart Assn 23rd Intl. Joint Conf., Orlando, FL, Feb. 1998.
113. Yang GY, Liu XH, Kadoya C, Zhao YJ, Mao Y, **Davidson BL**, Betz AL. Attenuation of ischemic inflammatory response in mouse brain using an adenoviral vector to induce overexpression of interleukin-1 receptor antagonist. *J Cereb Blood Flow Metab* 18(8):840-847, 1998.
114. Chu Y, Heistad DD, Faraci FM, **Davidson BL**. Augmented Adenoviral Infection in Cells with Surface Expression of VCAM-1. *Experimental Biology '98*
115. Belasco KT, Toyoda K, Faraci FM, Durham P, Russo AF, **Davidson BL**, Heistad DD. Expression of calcitonin gene-related peptide following adenovirus-mediated gene transfer to COS-1 cells. *Experimental Biology '98*.
116. Vasquez EC, Beltz TG, Johnson RF, **Davidson BL**, Johnson AK. Gene transfer to SFO, SON and posterior pituitary using adenovirus vector. *Experimental Biology '98*.
117. Bohn MC, Kozlowski DA, Lawrence MS, Foellmer HG, **Davidson BL**, Choi-Lundberg, DL, Smith JC, O'Banion MK, Leranthe C, Redmond DE Jr. Parameters affecting adenoviral-mediated transgene expression in Primate Striatum. *Amer. Soc. Neural Transplantation*. March 98.
118. Redmond DE, Lawrence MS, Foellmer HG, Elsworth JD, Bohn MC, **Davidson BL**, Leranthe C. Neuropathological effects of an E1a, E3 deleted adenoviral vector injected into primate striatum: implications for clinical use. *Amer Soc Gene Ther*, May 98.
119. Bohn MC, Choi-Lundberg DI, Lin O, **Davidson BL**, Schallert T, Crippens D, Chang Y-N, Chiang YL. An adenoviral vector (Ad) harboring glial cell line-derived neurotrophic factor (GDNF) injected near the terminals of dopaminergic (DA) neurons elicits functional and cellular protection in a rat model of Parkinson's Disease. *Amer Soc Gene Ther*, May 98.
120. Chu Y, Heistad DD, Faraci FM, **Davidson BL**. VCAM-1 expression augments adenovirus-mediated gene transfer. *Amer. Soc. Gene Ther*. May 98
121. Vasquez EC, Beltz TG, Johnson RF, Haskell RE, **Davidson BL**, Johnson AK. Time course of adenovirus-mediated gene transfer to posterior pituitary and hypothalamic magnocellular neurons. *Amer Soc Gene Ther*, May 98.
122. Law L, Chillon M, Bosch A, Armentano D, Welsh MJ, **Davidson BL**. Infection of primary CNS cells by different adenoviral serotypes: searching for a more efficient vector. *Amer Soc Gene Ther*, May 98.
123. Ghodsi A, Yang G, Derksen T, Anderson RD, Stein CS, **Davidson BL**. Phenotypic correction in the central nervous system in murine mucopolysaccharidosis VII using adenovirus-mediated gene transfer. *Amer Soc Gene Ther*, May 98.
124. Stein CS, Pemberton JL, **Davidson BL**. Anti-CD40 ligand antibody enhances expression of  $\beta$ -glucuronidase after adenovirus-mediated gene transfer to mucopolysaccharidosis Type VII mice. *Amer Soc Gene Ther*, May 98.
125. Wang G, **Davidson BL**, Melchert P, van Es HHG, Bodner M, Jolly DJ, McCray PB. Efficient gene transfer to differentiated human airway epithelia with recombinant retrovirus. *Amer Soc Gene Ther*, May 98.
126. Holt KH, Lim LE, Straub V, Venzke DP, Anderson RD, **Davidson BL**, Campbell KP. Functional rescue of the sarcoglycan complex in the Bio 14.6 hamster using  $\delta$ -sarcoglycan gene transfer. *Amer Soc Gene Ther*, May 98.

127. Haskell RE, Derksen TA, **Davidson BL**. Intracellular Trafficking of the JNCL Protein CLN3. The Seventh Annual Congress of Neuronal Ceroid - Lipofuscinoses (NCL-98), June 1998
128. **Davidson BL**, Ghodsi A, Haskell RE, Yang G, Derksen TA, Anderson RD, Stein C. Extensive  $\beta$ -Glucuronidase Activity in Mice after Adenovirus Mediated Gene Transfer to Brain - A Model for CNS Replacement of Lysosomal Enzymes. The Seventh Annual Congress of Neuronal Ceroid - Lipofuscinoses (NCL-98), June 1998.
129. Bohn MC, Connor B, Mohajeri MH, Kozlowski DA, **Davidson BL**, Schallert T, Tillerson J, Bäckman C. Virsu Based Gene Delivery of Neurotrophic Factors to Provide Neuroprotection. Conference on Cellular and Molecular Treatments of Neurological Diseases, Cambridge MA, Oct 9-10, 1998
130. Ghodsi A, Yang G, Derksen T, Stein C, Anderson RD, Traynelis VC, **Davidson BL**. Extensive  $\beta$ -glucuronidase activity in murine CNS after adenovirus mediated gene transfer to brain. Soc Neuroscience, November 1998.
131. Vasquez EC, Beltz TG, Johnson RF, Meyrelles SS, **Davidson BL**, Johnson AK. Adenovirus-mediated gene transfer to cells of the hypothalamic-neurohypophyseal tract. Soc. Neuroscience, November 1998.
132. Miller FJ, Mozena J, Foresman EL, Gutterman DD, **Davidson BL**. Superoxide Production is Increased Throughout the Vascular Wall of Atherosclerotic Mice Aorta and Mediated by a Membrane Bound NAD (P) H Oxidase. American Heart Association, November 1998
133. Miller FJ, Mozena JE, Foresman EL, **Davidson BL**, Gutterman DD. Smooth Muscle Cell Production of Superoxide is Increased in Atherosclerosis. American Heart Association, November 1998.
134. Toyoda K, Faraci FM, Russo AF, **Davidson BL**, Heistad DD. Gene transfer of calcitonin gene-related peptide alters reactivity of cerebral arteries. 24th American Heart Association International Conference on Stroke and Cerebral Circulation, Nashville, Tn, February 1999.
135. Vasquez EC, Beltz TG, Johnson RF, Meyrelles SS, **Davidson BL**, Johnson AK. Approaches for Gene Delivery to the Magnocellular-Hypothalamic-Neurohypophyseal System in Rats and Mice. Experimental Biology '99.
136. Belasco KT, Heistad DD, Bishop J, Durham P, Faraci FM, **Davidson BL**, Russo AF. Experimental Biology '99.
137. Kozlowski DA, Redmond DE Jr, Connor B, **Davidson BL**, Bohn MC. Glial cell line-derived neurotrophic factor (GDNF) expression in the caudate and substantia nigra of the African green monkey following gene transfer. 6th Annual Conference, American Society for Neural Transplantation and Repair, Clearwater, Florida, April 29 - May 2, 1999.
138. Toyoda K, Faraci FM, Russo AF, **Davidson BL**, Heistad DD. Gene Transfer of Calcitonin Gene-Related Peptide Alters Reactivity of Cerebral Arteries. Stroke 30(1), 1999.
139. Conner B, Kozlowski DA, Schallert T, Tillerson JL, **Davidson BL**, Bohn MC. Adenoviral vector mediated delivery of Glial Cell line-Derived Neurotrphic Factor (GDNF) provides neuroprotection in the aged Parkinsonian rat. American Society of Gene Therapy, Washington DC, June 9-13, 1999.
140. Wang G, Slepishkin V, Deering C, Shao J, Bodner M, Jolly DJ, **Davidson BL**, McCray PB Jr. Calcium Chelation Enhances Gene Transfer to Differentiated Airway Epithelia by Opening Tight Junctions. American Society of Gene Therapy, Washington DC, June 9-13, 1999.
141. Ghodsi A, Stein CS, Derksen TA, Johnson JC, Sauter SL, Jolly DJ, Martins I, **Davidson BL**. FIV-Mediated Gene Transfer to the CNS and Liver of  $\beta$ -Glucuronidase Deficient Mice. American Society of Gene Therapy, Washington DC, June 9-13, 1999.
142. Derksen TA, Johnson JC, Sauter SL, Jolly DJ, **Davidson BL**. Correction of the RPE Defect in  $\beta$ -Glucuronidase Deficient Mice with Recombinant FIV-Based Vectors. American Society of Gene Therapy, Washington DC, June 9-13, 1999.
143. Xia H, Anderson B, Anderson RD, **Davidson BL**. A Step Towards Global Delivery of Recombinant Adenovirus Vectors to Brain Microvasculature: Using Transferrin Receptor Targeted Adenovirus to Target the Brain Microcapillary Endothelium. American Society of Gene Therapy, Washington DC, June 9-13, 1999.
144. Slepishkin VA, Staber PD, **Davidson BL**. Use of Adenovirus Vectors for Efficient Expression of Foreign Envelope Proteins for Production of Pseudotyped Retroviruses. American Society of Gene Therapy, Washington DC, June 9-13, 1999.
145. Stein, CS, Martins I, **Davidson BL**. Sustained Reduction in Plasma Cholesterol in LDL Receptor Deficient Mice After Recombinant Adenovirus Gene Therapy Combined with

- Anti-CD40 Ligand-Induced Immunosuppression. American Society of Gene Therapy, Washington DC, June 9-13, 1999.
146. Ghodsi A, Stein CS, Derksen TA, Martins I, Anderson RD, **Davidson BL**. Systemic Hyperosmolality Improves  $\beta$ -Glucuronidase Distribution and Pathology in the MPS VII Brain Following Intraventricular Gene Transfer. American Society of Gene Therapy, Washington DC, June 9-13, 1999.
  147. Wang G, Slepushkin V, Zabner J, Johnston J, Sauter S, Jolly DJ, **Davidson BL**. Feline Immunodeficiency Virus (FIV) Vectors Transduce Non-Dividing Human Airway Epithelia. American Society of Gene Therapy, Washington DC, June 9-13, 1999.
  148. Slepushkin, VA, Staber PD, **Davidson BL**. Influenza virus infection of cultured primary human airway cells. Am Soc Virol. Amherst, MA July 10-14, 1999.
  149. Kozlowski DA, Conner B, Tillerson JL, Schallert T, **Davidson BL**, Bohn MC. CDNF gene delivery after 6-OHDA induced degeneration rescues dopaminergic (DA) neurons, maintains striatal projections and ameliorates behavioral deficits. Soc Neuroscience, Miami Beach, FL October 23-28, 1999.
  150. Haskell RE, Pearce DA, **Davidson BL**. Effects of Point Mutations on the Intracellular Trafficking of the Juvenile Neuronal Ceroid Lipofuscinosis Protein CLN3. Soc Neuroscience, Miami Beach, FL, October 23-28, 1999.
  151. Haskell RE, Hughes SM, Anderson RD, Alisky JM, Stocker CM, **Davidson BL**. Different patterns of secretion and uptake of soluble lysosomal enzymes after gene transfer to the CNS: implications for therapy. American Society of Gene Therapy, Denver, CO, May-June, 2000.
  152. **Davidson BL**, Brooks AI, Stein CS, Heth JA, Dubensky TW, Sauter SL, Cory-Slechta DA, Federoff HJ. Correction of cellular pathology and behavioral deficits in adult  $\beta$ -glucuronidase-deficient mice after FIV vector-mediated gene transfer to brain. American Society of Gene Therapy, Denver, CO, May-June, 2000.
  153. Stein CS, **Davidson BL**, Heth JA, Martins I, Kotin RM, Derksen TA, Ghodsi A, Chiorini JA. CNS transduction by AAV type 2, 4 and 5 vectors. American Society of Gene Therapy, Denver, CO, May-June, 2000.
  154. Alisky JM, Hughes SM, Dubensky TW, Sauter SL, Staber PD, Chiorini JA, **Davidson BL**. Recombinant FIV and AAV5 vectors efficiently transfect cerebellar neurons. American Society of Gene Therapy, Denver, CO, May-June, 2000.
  155. Heth JA, Stein SC, Chiorini JA, Martins I, Derksen TA, **Davidson BL**. The effects of systemic hyperosmolality on recombinant AAV4- and AAV5-mediated gene transfer following intraventricular injection. American Society of Gene Therapy, Denver, CO, May-June, 2000.
  156. Derksen TA, Ghodsi A, Redmond DE, Dubensky TW, Sauter SL, Townsend K, Sheridan PL, **Davidson BL**. Gene delivery to primate brain using recombinant FIV-based vectors. American Society of Gene Therapy, Denver, CO, May-June, 2000.
  157. Anderson RD, Haskell RE, Xia H, Scheel M, Roessler BJ, **Davidson BL**. The rapid generation of recombinant adenovirus vectors using simple methods. American Society of Gene Therapy, Denver, CO, May-June, 2000.
  158. Xia H, Anderson RD, Mao Q, **Davidson BL**. Novel shuttles for the rapid generation of adenovirus vectors that express transgenes in E1 and E3. American Society of Gene Therapy, Denver, CO, May-June, 2000.
  159. Hughes SM, Toro R, Derksen TA, Staber PD, Dubensky TW, Sauter SL, **Davidson BL**. Primary neural progenitor cells: the effects of FIV-mediated transduction on differentiation in vitro and in vivo. American Society of Gene Therapy, Denver, CO, May-June, 2000.
  160. Martins I, Stein CS, Miller FJ, **Davidson BL**. Gene therapy with recombinant adenovirus encoding the low density lipoprotein receptor (AdLDLR) protects against atherosclerosis in LDLR-deficient mice. American Society of Gene Therapy, Denver, CO, May-June, 2000.
  161. Zabner J, Seiler M, Walters R, Kotin RM, **Davidson BL**, Fulgeras W, Chiorini JA. AAV5 but not AAV2 bind to the apical surface of airway epithelia and facilitate gene transfer. American Society of Gene Therapy, Denver, CO, May-June, 2000.
  162. Haskell RE, Hughes SM, Anderson RD, Alisky JM, Stocker CM, Sohar I, Lobel P, **Davidson BL**. Gene therapy approaches for CLN2. The Eighth International Congress on Neuronal-Ceroid Lipofuscinoses, NCL-2000, Oxford, England, September 20-24, 2000.
  163. Hughes SM, Toro R Jr, Anderson RD, Haskell RE, Staber PD, Sauter SL, Dubensky TW Jr, Jolly DJ, **Davidson BL**. Neural progenitor cell therapy for the neuronal ceroid

- lipofuscinoses. The Eighth International Congress on Neuronal-Ceroid Lipofuscinoses, NCL-2000, Oxford, England, September 20-24, 2000.
164. Stein CS, Brooks AI, Heth JA, Dubensky TW Jr, Sauter SL, Townsend K, Cory-Slechta DA, Howard MA, Federoff HJ, **Davidson BL**. Correction of cellular pathology and behavioral deficits in adult  $\beta$ -glucuronidase-deficient mice after FIV vector-mediated gene transfer to murine brain. Society for Neuroscience, New Orleans, November 4-8, 2000.
  165. Hughes SM, Haskell RE, **Davidson BL**. Gene and cell replacement in neurodegenerative lysosomal storage diseases. ComBio 2000, Wellington, New Zealand, December 11-14, 2000.
  166. Sinn PL, Wang G, Nosakowski JA, Staber P, Sauter S, Dubensky TW Jr, Jolly D, Sanders DA, **Davidson BL**, McCray PB Jr. Pseudotyping feline immunodeficiency virus (FIV)-based vectors to target the apical surface of differentiated human airway epithelia. North American Cystic Fibrosis Conference, Baltimore, MD November 9-12, 2000.
  167. Scott JJ, Wang G, **Davidson BL**, McCray PB Jr. Formulation of adenoviral vectors with agents that modify epithelial junctions enhances gene transfer to human airway epithelia. North American Cystic Fibrosis Conference, Baltimore, MD November 9-12, 2000.
  168. Wang G, Xia H, **Davidson BL**, McCray PB Jr. Effects of epithelial differentiation and Pit2 receptor, localization on gene transfer with retroviral vectors pseudotyped with the amphotropic envelope glycoprotein. North American Cystic Fibrosis Conference, Baltimore, MD November 9-12, 2000.
  169. Hughes SM, Haskell RE, **Davidson BL**. Gene and cell replacement in neurodegenerative lysosomal storage diseases. ComBio 2000, Wellington, New Zealand, December 11-14, 2000.
  170. Russell SR, Lotery AJ, Derksen TA, **Davidson BL**, Stone EM. A manual, remotely actuated injector for sub-retinal gene therapy in non-human primates. Association for Research in Vision and Ophthalmology, Ft Lauderdale, FL, April 29 – May 4, 2001.
  171. Lotery AJ, Derksen TA, Mullins RF, Kopp KK, Rosenow JR, Stone EM, **Davidson BL**, Sauter S, Russell SR. Evaluation of lentiviral vectors as possible agents for gene therapy to the neurosensory retina in a non-human primate model. Association for Research in Vision and Ophthalmology, Ft Lauderdale, FL, April 29 – May 4, 2001.
  172. Yang G, Derksen TA, Schmidt M, Kotin RM, **Davidson BL**. Transgene expression in photoreceptors of neural retina mediated by adeno-associated virus type 5. Presented at the 4<sup>th</sup> annual meeting of the Society of Gene Therapy, Seattle, WA, May-June, 2001.
  173. Hughes SM, Brooks AI, Yang G, Slevin M, Haskell RE, Staber PD, **Davidson BL**. FIV-mediated delivery of differentiation factors to mouse eural progenitor cells. Presented at the 4<sup>th</sup> annual meeting of the Society of Gene Therapy, Seattle, WA, May-June, 2001.
  174. Alisky J, Xia H, Hughes SM, **Davidson BL**. New strategies for brainstem gene therapy. Presented at the 4<sup>th</sup> annual meeting of the Society of Gene Therapy, Seattle, WA, May-June, 2001.
  175. Law L, **Davidson BL**. The Ad5 receptor is not the Ad30 receptor. Presented at the 4<sup>th</sup> annual meeting of the Society of Gene Therapy, Seattle, WA, May-June, 2001.
  176. Heth JA, Kasperski J, **Davidson BL**. Pseudotyping feline immunodeficiency virus with the Ross River virus envelope protein directs transgene expression in astrocytes. Presented at the 4<sup>th</sup> annual meeting of the Society of Gene Therapy, Seattle, WA, May-June, 2001.
  177. Derksen TA, Lotery AJ, Russell SR, Chiorini JA, Schmidt M, Stone EM, **Davidson BL**. Evaluation of AAV2, AAV4, and AAV5 for gene therapy to the retina of the non-human primate. Presented at the 4<sup>th</sup> annual meeting of the Society of Gene Therapy, Seattle, WA, May-June, 2001.
  178. Heth JA, Martins IH, Chen J, Chiorini JA, Derksen TA, Hoshi T, **Davidson BL**. AAV5-mediated gene transfer corrects hippocampal learning defects in murine MPS VIII. Presented at the 4<sup>th</sup> annual meeting of the Society of Gene Therapy, Seattle, WA, May-June, 2001.
  179. Hughes SM, Brooks AI, Yang GS, Haskell RE, Fellows RE, Staber PD, **Davidson BL**. FIV-mediated delivery of differentiation factors to mouse neural stem cells. Society for Neuroscience, San Diego, November 10-15, 2001.
  180. Xia H, Alisky JM, Mao Q, Coulter JD, **Davidson BL**. PTD-modified proteins expressed from viral vectors improves CNS distribution. Society for Neuroscience, San Diego, November 10-15, 2001.

181. Yang GS, Derksen TA, Schmidt M, Howard M, Kotin RM, **Davidson BL**. Transgene expression in photoreceptors of neural retina mediated by adeno-associated virus type 2 and type 5. Society for Neuroscience, San Diego, November 10-15, 2001.
182. Mao Q, **Davidson BL**. Development expression of CLN3 in the mouse nervous system. Society for Neuroscience, San Diego, November 10-15, 2001.
183. Navalitloha Y, Anderson R, **Davidson BL**, Harrod C, Xe H, Bohn MC. Expression of green fluorescent protein (GFP) in brain from a self-regulating adenoviral (Ad) vector is shut off by doxycycline (DOX). Society for Neuroscience, San Diego, November 10-15, 2001.
184. Sinnay P, Lindley TE, Staber PD, Cassell MD, **Davidson BL**, Davisson RL. Selective cre-mediated gene deletion in key cardiovascular regions of the brain: comparison of two viral delivery systems. American Heart Association, 55<sup>th</sup> Annual Fall Conference, 2001.
185. SM Hughes, AI Brooks, F Moussavi-Harami, PD Staber, SL Sauter, **BL Davidson**. Viral mediated delivery of differentiation factors to neural progenitor cells. Joint meeting of Australian Neuroscience Society/International Society of Developmental Neuroscience, Sydney, Australia, Jan 31 – Feb 6, 2002.
186. GS Yang, J Lindbloom, Z Yan, J Engelhardt, M Schmidt, R Kotin, **BL Davidson**. Viral mediated transduction of murine retina with AAV2 and 5. The Association for Research in Vision and Ophthalmology (ARVO), Ft. Lauderdale, FL May 5-10, 2002.
187. Q Mao, M Gerety, MK Kim, DF Wiemer, **BL Davidson**. A highly sensitive method for the *in situ* detection of tripeptidyl aminopeptidase I (CLN2). 5<sup>th</sup> Annual meeting, American Society of Gene Therapy, Boston, MA, June 5-9, 2002.
188. G Liu, I Martins, SM Hughes, **BL Davidson**. Transgene positive cells in the ependyma do not migrate to the olfactory bulb. 5<sup>th</sup> Annual meeting, American Society of Gene Therapy, Boston, MA, June 5-9, 2002.
189. HL Paulson, VM Miller, H Xia, GL Marrs, CM Gouvion, G Lee, **BL Davidson**. Allele-specific silencing of dominant neurodegenerative disease genes. 55<sup>th</sup> Ann Mtg, American Academy of Neurology, Honolulu, Hawaii, March 29 – April 5, 2003.
190. H Xia, Q Mao, **BL Davidson**. HIV Tat PTD-modified adenovirus: improving gene transfer to CAR negative cells. 6<sup>th</sup> Annual meeting, American Society of Gene Therapy, Washington DC, June 4-8, 2003.
191. H Xia, Q Mao, N Kiewiet, **BL Davidson**. Characterizing Pol II and Pol III driven siRNA: application to spinal cerebellar ataxia type I. 6<sup>th</sup> Annual meeting, American Society of Gene Therapy, Washington DC, June 4-8, 2003.
192. SQ Harper, PD Staber, SK Fineberg, HL Paulson, **BL Davidson**. Silencing huntingtin with siRNA. 6<sup>th</sup> Annual meeting, American Society of Gene Therapy, Washington DC, June 4-8, 2003.
193. SQ Harper, PD Staber, SK Fineberg, HL Paulson, **BL Davidson**. Silencing huntingtin with siRNA. University of Iowa College of Medicine Research Day, April 2, 2003.
194. DA Machado-Aranda, Y Adir, JI Szajder, DA Dean. Efficient gene transfer of the Na<sup>+</sup>/K<sup>+</sup>-ATPase  $\beta$ -2 subunit in rat lungs using electroporation. American Thoracic Society meeting, Seattle, WA, May 16-21, 2003.
195. JL Young, D Machado-Aranda, K Blair-Parks, DA Dean. Gene transfer to the murine lung using electric fields. American Thoracic Society meeting, Seattle, WA, May 16-21, 2003.
196. G Liu, Y Chen, IH Martins, JA Heth, Q Mao, X He, JA Chiorini, **BL Davidson**. Adeno-associated virus type 5 (AAV5) mediated central nervous system functional correction in mucopolysaccharidosis type VII mice. Society for Neuroscience, 33<sup>rd</sup> Annual meeting, New Orleans, LA, November 8-12, 2003.
197. MC Bohn, **BL Davidson**, K Bankiewicz, X Breakefield. Gene therapy in the CNS: novel vectors for imaging and regulating gene expression. 37<sup>th</sup> Winter Conference on Brain Research, Copper Mountain, CO, January 24 – 30, 2004.
198. CS Stein, I Martins, **BL Davidson**. The lymphocytic choriomeningitis virus envelope glycoprotein targets lentivirus to neural progenitors in the murine brain. 6<sup>th</sup> Annual Meeting, American Society of Gene Therapy, Minneapolis, MN, June 2-6, 2004.
199. YH Chen, **BL Davidson**. Targeting AAV to brain vascular endothelium. 6<sup>th</sup> Annual Meeting, American Society of Gene Therapy, Minneapolis, MN, June 2-6, 2004.
200. R Boudreau, H Xia, **BL Davidson**. Micro RNAs as novel siRNA shuttles. 6<sup>th</sup> Annual Meeting, American Society of Gene Therapy, Minneapolis, MN, June 2-6, 2004.
201. G Liu, JA Chiorini, **BL Davidson**. AAV4 mediated gene transfer in mucopolysaccharidosis type VII mice. 6<sup>th</sup> Annual Meeting, American Society of Gene Therapy, Minneapolis, MN, June 2-6, 2004.

202. H Xia, Q Mao, SL Eliason, N Kiewiet, J Critchfield, IH Martins, SQ Harper, X He, RM Kotin, HY Zoghbi, HT Orr, HL Paulson, **BL Davidson**. RNAi therapy for dominant neurodegenerative diseases. 6<sup>th</sup> Annual Meeting, American Society of Gene Therapy, Minneapolis, MN, June 2-6, 2004.
203. G Liu, RM Kotin, JA Chiorini, **BL Davidson**. Neuroal progenitor cell transduction with AAV serotypes 1 and 4. 6<sup>th</sup> Annual Meeting, American Society of Gene Therapy, Minneapolis, MN, June 2-6, 2004.
204. SQ Harper, PD Staber, CR Rowley, X He, IH Martins, Q Mao, HL Paulson, **BL Davidson**. Gene silencing of human huntingtin using lentivirus-delivered shRNA. 6<sup>th</sup> Annual Meeting, American Society of Gene Therapy, Minneapolis, MN, June 2-6, 2004.
205. Y Kang, TE Scheetz, CJ Moressi, DT Tran, L Xie, **BL Davidson**, TL Casavant, PB McCray Jr. *In vitro* and *in vivo* analysis of feline immunodeficiency virus-based lentiviral vector integration. 6<sup>th</sup> Annual Meeting, American Society of Gene Therapy, Minneapolis, MN, June 2-6, 2004.
206. Y Kang, L Xie, DT Tran M Hickey, C Stein, **BL Davidson**, PB McCray Jr. Enhancing hepatocyte gene transfer with baculovirus GP64 glycoprotein. 6<sup>th</sup> Annual Meeting, American Society of Gene Therapy, Minneapolis, MN, June 2-6, 2004.
207. PD Staber, SQ Harper, SL Eliason, CR Rowley, X He, IH Martins, Q Mao, HL Paulson, P Gonzalez-Alegre, **BL Davidson**. Huntingtin gene silencing by lentivirus-delivered shRNA leads to phenotypic improvement in an HD mouse model. Society for Neuroscience 34<sup>th</sup> Annual meeting, San Diego, CA, October 23-27, 2004.
208. SQ Harper, PD Staber, SL Eliason, X He, IH Martins, Q Mao, HL Paulson, RM Kotin, **BL Davidson**. AAV-delivered RNAi causes cellular and motor improvements in a mouse model for HD. Society for Neuroscience 34<sup>th</sup> Annual meeting, San Diego, CA, October 23-27, 2004.
209. RL Boudreau, H Xia, SQ Harper, WT Talman, **BL Davidson**. Incubible RNAi-therapy for polyglutamine disease. Society for Neuroscience 34<sup>th</sup> Annual meeting, San Diego, CA, October 23-27, 2004.
210. GM Borchert, RA Cornell, DC Slusarski, S Ding, **BL Davidson**. miR23 in the developing Zebrafish. Society for Neuroscience 34<sup>th</sup> Annual meeting, San Diego, CA, October 23-27, 2004.
211. MA Passini, D Sondhi, J Bu, EL Giannaris, E Vassallo, NR Hackett, SM Kaminsky, M El-Banna, Q Mao, M Chang, **BL Davidson**, DE Sleat, P Lobel, RG Crystal, GR Stewart. Intracranial gene delivery of human CLN2 reduces brain pathology in a mouse model of late infantile neuronal ceroid lipofuscinoses (LINCL). Society for Neuroscience 34<sup>th</sup> Annual meeting, San Diego, CA, October 23-27, 2004.

#### Reviews

1. Beer SJ, Hilfinger JM, **Davidson BL**. "Extended release of adenovirus from polymer microspheres: Potential use in gene therapy for brain tumors. *Advance Drug Delivery Review*; 27(1):59-66, 1997.
2. **Davidson BL**. (ed) "Novel Gene Delivery Systems", *Advanced Drug Delivery Review*, 1997.
3. Rios CD, Chu Y, **Davidson BL**, Heistad DD. Ten Steps to Gene Therapy for Cardiovascular Diseases. *J Lab Clin Med* 132(2):104-111, 1998.

#### B. Areas of Research Interest

My laboratory is focused on inherited genetic diseases that cause central nervous system dysfunction, with a focus on the lysosomal storage diseases; the mucopolysaccharidoses and Batten's disease. The aims are to better understand the biochemistry and cellular trafficking of proteins deficient in these disorders, and to develop gene and cell-based medicines for therapy. For gene therapy studies, the focus is on vector development with an emphasis on the examination of novel envelopes for cellular targeting of lentivirus vectors, or novel capsid proteins for encapsidated vectors (AAV and adenovirus). In recent work we demonstrated that the application of these vectors to animal models of storage disease could reverse CNS deficits. Molecular correlates, examined using gene chip arrays, corroborated the beneficial effects of gene therapy.

**C. Published reviews of scholarship****D. Grants***Active Support* – Not listed**E. Invited Lectures**

- 1992 “CNS-directed Gene Therapy with Recombinant Adenoviruses”, Frank K. Kelemen Memorial Symposium, Coriell Institute for Mental Health Research, Camden, NJ
- 1992 “Gene Therapy to the Central Nervous System”, Molecular Medicine at Michigan, University of Michigan Medical School, Ann Arbor, MI
- 1993 Biochemistry and Neurobiology Sections, Warner-Lambert/Parke-Davis, Ann Arbor, MI
- 1993 Visiting Professorship, Nebraska Wesleyan University, Lincoln, NE
- 1993 Wayne State University, Department of Molecular Biology and Genetics, Detroit, MI, May 17, 1993
- 1993 Plenary Speaker, “Gene Transfer to Cellular Components of the CNS”. First Annual Symposium of the Institute for Human Gene Therapy, University of Pennsylvania, Philadelphia, PA, September 24-25, 1993
- 1993 “Potentials for Anti-Inflammatory Therapy Using Gene Transfer Techniques”, Henry Ford Hospital, October 19, 1993
- 1994 Invited Panelist, “Viral Vectors for Gene Transfer into the Nervous System: Tools for studying Neuronal Physiology”, 27<sup>th</sup> Winter Conference on Brain Research, Snowbird, UT, January 22-29, 1994
- 1994 “Adenoviral-mediated Gene Transfer into the CNS: Potential Therapeutic Applications”, Harvard Medical School, Massachusetts Eye and Ear Infirmary, Department of Ophthalmology, Boston, MA, May 13, 1994
- 1994 “Development of New Vectors for Gene Therapy”, Symposium on Molecular Genetics and Gene Therapy: Applications to Muscle and Synovium, University of Michigan Medical School, Ann Arbor, MI, May 27, 1994
- 1994 Invited Participant, Workshop on “Approaches for the Treatment of Pulmonary Fibrosis”, National Institutes of Health, National Heart, Lung and Blood Institute, Bethesda, MD, August 30-31, 1994
- 1995 Invited Speaker: Gordon Conference, Oxnard, CA
- 1995 Invited Speaker: Controlled Release of Bioactive Materials, Seattle, WA
- 1995 Invited Speaker: Conference on Gene Transfer for CNS Disorders, Philadelphia, PA
- 1995 “Recombinant Adenoviruses: Potential Therapeutic Application to CNS Diseases”, Schering-Plough Research Institute, Kenilworth, NJ, January 20, 1995
- 1995 University of Minnesota, “Adenoviral Mediated Gene Transfer to the CNS: Potential Therapeutic Applications”, Department of Pharmacology, Minneapolis, MN, April 21, 1995
- 1995 University of Rochester Medical Center, Anatomy’s Spring Seminar Series, Rochester, NY, May 5, 1995
- 1995 University of Wisconsin, Center for Neuroscience, Madison, WI, May 15, 1995
- 1996 Cephalon Inc., West Chester, PA, April 19, 1996
- 1996 Genetic Therapy Inc. “Neurogenic Program Advisory Mtg, Gaithersburg, MD, June 3, 1996
- 1996 23<sup>rd</sup> International Symposium on Controlled Release of Bioactive Materials, Kyoto, Japan. “Alternative Formulation of Viral Vectors, July 10, 1996
- 1996 University of Alabama, Birmingham, AL. “Proliferation induced by growth factors enhances in vivo retroviral-mediated gene transfer to hepatocytes”, October 1999
- 1996 Society for Neuroscience, 26<sup>th</sup> Annual meeting. “Viral vectors for the study and treatment of inherited disorders of the CNS”. November 16-21, 1996
- 1996 Chiron-Viagene, San Diego, CA, December 1996
- 1997 Cardiovascular Research Center, University of Iowa, Iowa City, IA “Overcoming barriers to liver directed gene transfer”, March 1997
- 1997 Prostate Cancer Research Conference, University of Iowa, Iowa City, IA
- 1997 Dalton Cardiovascular Research Center, University of Missouri, Columbia, MO, June 23, 1997



- 1997 Batten Disease Support and Research Association Conference, San Antonio, TX, July 25, 1997
- 1997 Institute for Human Gene Therapy 1997 Retreat, Absecon, NJ “Retroviral Gene Transfer to Liver – Revisited”, September 21, 1997
- 1997 American Heart Gene Therapy Symposium, November 1997
- 1998 Winter Brain Research Conference, Snowbird, UT, January 1998
- 1998 Invited Speaker, Rotary Club of Iowa City, January 15, 1998
- 1998 University of Iowa Research Day “Correction of Metabolic Disorders in the CNS with Viral Vectors”, February 6, 1998
- 1998 First Annual Meeting, American Society of Gene Therapy, Seattle, WA, May 1998
- 1998 The Seventh Annual International Congress on Neuronal Ceroid – Lipofuscinoses (NCL-98), June 1998
- 1998 Invited Speaker, Genethon, Evry, France, September 1998
- 1998 Invited Speaker, Pasteur Institute, Paris, France, September 1998
- 1998 Invited Speaker, International Conference on Gene Therapy, Sweden, September 1998
- 1998 Invited Speaker, University of Oulu, Oulu, Finland, September 1998
- 1998 Invited Speaker, Genzyme Corporation, Framingham, MA, October 1998
- 1999 Invited Speaker, University of Michigan, Ann Arbor, MI March 1999
- 1999 Invited Speaker, BASF, May 1999
- 1999 Invited Speaker, Gordon Conference on Neurovirology, New Hampshire, MA, June 1999 (Declined)
- 1999 Speaker, 2<sup>nd</sup> Annual Conference, American Society of Gene Therapy, Washington DC, June 1999
- 1999 Invited Speaker, 5<sup>th</sup> International meeting of the COGENT Society, Minneapolis, MN, June 1999
- 1999 Promega Lecturer, Society of Neuroscience, Miami Beach, FL, November 1999
- 1999 Invited Speaker, Massachusetts General Hospital, December, 1999
- 2000 Invited Panelist, Winter Conference on Brain Research, Breckenbridge, CO, January 2000
- 2000 Invited Speaker, Wadsworth Center/David Axelrod Institute, Albany, NY, March 2000
- 2000 Invited Speaker, University of Toronto, Toronto, Canada, March 2000
- 2000 Symposia Organizer, FASEB 2000, San Diego, CA April 2000.
- 2000 Invited Speaker, Chiron Technologies, Center for Gene Therapy, San Diego, CA, April 2000
- 2000 Invited Speaker, Canji, San Diego, CA, April 2000
- 2000 Invited Lecturer, University of Puerto Rico at Mayaguez, Puerto Rico, April 2000
- 2000 Invited Speaker, NCLRA symposium, Washington DC, May, 2000
- 2000 Invited Speaker, 6th International symposium on Mucopolysaccharidosis and related diseases and International symposium on Innovative Therapies. Minneapolis, MN, May 2000
- 2000 Session Moderator, American Society of Gene Therapy, Denver, CO, May-June 2000
- 2000 Invited Speaker, University of Manchester, Manchester, England, September 19, 2000
- 2000 Invited Speaker, The Eighth International Congress on Neuronal-Ceroid Lipofuscinoses Exeter College, Oxford, England, September 2000
- 2000 Invited Speaker, Medical and Molecular Genetics Center, L’Hospitalet de Llobregat, Barcelona, Spain, September 27, 2000
- 2000 Invited Speaker, 14<sup>th</sup> Annual North American Cystic Fibrosis Conference, Baltimore, MD, November, 2000.
- 2000 Invited Speaker, Expert Meeting on Adenovirus Mediated Gene Delivery, Merck Research Laboratories, West Point, PA, December 12, 2000 – Invitation declined.
- 2001 Invited Speaker, 34<sup>th</sup> Annual Winter Conference on Brain Research, Steamboat Springs, CO, January 2001
- 2001 Invited Speaker, Molecular Medicine Program, Mayo Clinic, Rochester, MN, March 21, 2001.
- 2001 Invited Speaker, Simpson College Women in Science program, Women’s History Month, Indianola, IA, March 27, 2001
- 2001 Invited Speaker, Genes and Gene Delivery for Diseases of Alcoholism” symposium, University of North Carolina, NC, May 7-9, 2001
- 2001 Invited Speaker, 4<sup>th</sup> Annual meeting, American Society for Gene Therapy, Seattle, WA, May 30 – June 3, 2001

- 2001 Invited Speaker, Rett Syndrome Research Foundation, Washington DC, June 11-13, 2001
- 2001 Invited Speaker, National Mucopolysaccharidosis Society (MPS) meeting on “Strategies for therapy of the MPS and related diseases”, University of California, Los Angeles campus, June 21-24, 2001.
- 2001 Invited Speaker, Avigen Inc, Alameda, CA, June 29, 2001
- 2001 Invited Speaker, International Society for Neurochemistry/American Society for Neurochemistry Post-satellite meeting “Gene Transfer in Neurosciences: Towards Gene Therapy of the Nervous System”, Buenos Aires, Argentina, South America, August 25-31, 2001.
- 2001 Invited Speaker, 4<sup>th</sup> Workshop on Mouse Molecular Neurogenetics, September 12 – 15, Jackson Laboratories, Bar Harbor, ME
- 2001 Invited Speaker, 3<sup>rd</sup> Conference on Cellular and Molecular Treatments of Neurological Diseases, Harvard Medical School, September 20 – 23, 2001 – meeting re-scheduled.
- 2001 Invited Speaker, GVPN conference, Fribourg, Switzerland, October 3-5, 2001
- 2001 Invited Speaker, AAAS conference on “Becoming Human .. and Beyond”, Chicago, IL, November 1-3, 2001
- 2001 Invited Speaker, Wyeth, Princeton, December 3, 2001
- 2002 Invited Speaker, 35<sup>th</sup> Winter Conference on Brain Research, Snowmass, CO, Jan-Feb, 2002.
- 2002 Invited Speaker, 3<sup>rd</sup> Conference on Cellular and Molecular Treatments of Neurological Diseases, Cambridge, MA, March 13-15, 2002
- 2002 Invited Speaker, Institute for Human Gene Therapy, Philadelphia, PA, April 29, 2002.
- 2002 Invited Speaker, Frontiers in Gene Therapy Lecture Series, Stanford University Medical Center, Stanford, CA, May 9, 2002.
- 2002 Invited Speaker, 13<sup>th</sup> Annual Virology Symposium on Design and Application of Viral Gene Vectors: Engineering Pathogens into Prescriptions. University of Pittsburgh, Philadelphia, PA, May 14-15, 2002.
- 2002 Invited Speaker, 5<sup>th</sup> Annual Meeting, American Society of Gene Therapy, Boston, MA June 5-9, 2002
- 2002 Invited Speaker, 7<sup>th</sup> International Symposium on Mucopolysaccharide and Related Diseases/3<sup>rd</sup> Scientific Lysosomal Storage Disorders Congress, Paris, France, June 20-23, 2002.
- 2002 Invited Speaker, Hunters Hope 5<sup>th</sup> Annual Medical and Scientific Symposium, Java, NY, July 5-9, 2002.
- 2002 Invited Speaker, ALS Gene Therapy Workshop, New York, NY, October 13, 2002.
- 2002 Invited Speaker, Society for Neuroscience, Orlando, FL, November 2-7, 2002.
- 2002 Invited Speaker, Angiogenic Gene Therapy: A novel treatment paradigm for CAD: Ad5FGF4 Global Inaugural Workshop, New York, NY, December 13-15, 2002.
- 2003 Invited Speaker, “Applications of RNA Interference” conference, San Diego, CA, Feb 10-12, 2003/
- 2003 Invited Speaker, American Society for Microbiology “Rational Gene Therapy: The Next Five Years”, Banff, Canada, Feb 26 – March 2, 2003.
- 2003 Invited Speaker, “siRNA Prospects for New Therapeutics & Commercial Opportunities for Pharma and Biotech, San Diego, CA, March 23-24, 2003.
- 2003 Invited Speaker, 2<sup>nd</sup> International Symposium on Molecular Diagnostics & Skin Gene Therapy, Dusseldorf, Germany, March 27-29, 2003.
- 2003 Invited Speaker, “Frontiers in Gene Therapy” lecture series, Stanford University, Stanford, CA, April 10, 2003.
- 2003 Invited Speaker, American Society of Gene Therapy, Washington DC, June 4-8, 2003.
- 2003 Invited Speaker, World Congress on Huntington’s Disease, Toronto, Canada, August 16-19, 2003.
- 2003 Invited Speaker, Program in Biomedical Sciences, University of Michigan, Ann Arbor, MI, October 14, 2003.
- 2003 Invited Speaker, Wadsworth Center Molecular Genetics Program symposium, Albany, NY, October 20, 2003.
- 2003 Invited Speaker, The American Society of Human Genetics, Los Angeles, CA, November 7, 2003.
- 2003 Invited Speaker, NINDS workshop, November 13-14, 2003.
- 2003 Invited Speaker, Cold Spring Harbor symposium “Rat Genomics and Models”, Cold

- Spring Harbor, NY, December 11-14, 2003.
- 2004 Invited Speaker, National Institutes of Health, Laboratory of Biochemical Genetics, NHLBI, January 8, 2004
- 2004 Invited Speaker, 37<sup>th</sup> Winter Conference on Brain Research, Copper Mt, CO, Jan 24-30, 2004
- 2004 Invited Speaker, Association for Research in Otolaryngology, Daytona Beach, FL, Feb 24-28, 2004.
- 2004 Invited Speaker, American Society of Gene Therapy, Minneapolis, MN June 2-6, 2004.
- 2004 Invited Speaker, 2<sup>nd</sup> Annual RNA Interference conference, San Francisco, CA, June 20-22, 2004.
- 2004 Invited Speaker, Molecular Mechanisms of Human Neurology Diseases, Cold Spring Harbor Laboratory, July 6-12, 2004.
- 2004 Invited Speaker, Batten Disease Support & Research Association (BDSRA) “Reaching Beyond the Rainbow” conference, Kansas City, KS, Aug 5-8, 2004.
- 2004 Invited Speaker, Hereditary Disease Foundation’s Biennial Symposium on Huntington’s Disease, Aug 12-15, 2004
- 2004 Invited Speaker, Physiological Society of the United Kingdom Viral Symposium, Bristol, United Kingdom, September 2004.
- 2004 Invited Speaker, NIH Conference on RNA interference – target validation and potential therapeutic applications for childhood cancers, Washington DC, September 28-29, 2004.
- 2004 Invited Speaker and Short Course 1 organizer, Society for Neuroscience, San Diego, CA, October 24-27, 2004
- 2005 Invited Speaker, Molecular, Cellular and Clinical aspects of Neurodegenerative Diseases, Verbier, Switzerland, Jan 30 – Feb 2, 2005.
- 2005 Invited Speaker, Center for Aging and Developmental Biology Seminar Series, University of Rochester, Rochester, NY, Feb 17-18, 2005.
- 2005 Invited Speaker, Chicago Neural Repair Club, Northwestern University, Chicago, IL, March 8, 2005
- 2005 Invited Speaker, Northern Illinois University Research Seminar Series, DeKalb, IL, April 1, 2005
- 2005 Invited Speaker, Iowa State University Biological Sciences Seminar Series, Ames, IA, April 6, 2005
- 2005 Invited Speaker, “Gene Therapy State of the Art” Joint Conference – Royal Society of Medicine, International Association for Biologicals (IABs); Center for Biologicals Evaluation and Research (CBER); and US Food and Drug Administration (FDA), London, UK, April 25, 2005.
- 2005 Invited Speaker, Children’s Hospital of Philadelphia Research Group, Cell and Gene Therapy Seminar Series, Philadelphia, PA, May 23, 2005
- 2005 Invited Lecturer, Monroe J Lustabder Memorial lecturer, Rutgers University, New Brunswick, NJ, May 24, 2005
- 2005 Invited Speaker, American Society of Gene Therapy 9<sup>th</sup> Annual Meeting, St. Louis, MO, June 1-5, 2005.
- 2005 Invited Speaker, 10<sup>th</sup> International Congress on Neuronal Ceroid Lipofuscinosis (NCL), Helsinki, Finland, June 5-8, 2005.
- 2005 Invited Speaker, CG triplet repeats, Gordon Conference, Mt Holyoke, MA, July 24-29, 2005
- 2005 Invited Speaker and Short Course Organizer, Society for Neuroscience, Washington, DC, November 12-16, 2005.

#### IV. SERVICE

##### A. Offices held

##### *Editorships*

- 1991-- Ad hoc reviewer, *The Journal of Molecular Biology*  
1992-- Ad hoc reviewer, *The Journal of Clinical Investigation*, *Nature Genetics*  
*Nucleic Acids Research*, *Human Genetics*

- 1993-- Ad hoc reviewer, *The American Journal of Human Genetics*  
 1993-- Ad hoc reviewer, *Human Gene Therapy*, *Gene Therapy*, *Neuroscience Letters*  
 1994-- Ad hoc reviewer, *Behavioral and Brain Sciences (BBS)*, *Nature Medicine*, *Nature Biotechnology*, *Proceedings of National Academy of Sciences*, *Journal of Virology*, *Circulation Research*, *Hypertension*, *Biotechniques*, *Arthritis Thrombosis and Vascular Biology*, *Stroke*, *Reviews in Mutation Research*, *European Journal of Neuroscience*  
 1998-- Associate Editor, *Journal of Gene Medicine*  
 1999 Associate Editor, *Arteriosclerosis, Thrombosis, and Vascular Biology*  
 1999-- Editorial Board, *Gene Therapy*  
 2000 External Reviewer, *Human Frontier Science Program Organization*  
 2000 Editorial Board, *Molecular Therapy*  
 2000 Associate Editor, *Current Gene Therapy*  
 2003-06 Associate Editor, *Molecular Therapy*  
 2005-07 Editorial Board, *Human Gene Therapy*

---

#### ***Review Panels***

---

- 1993 Ad hoc reviewer, National Retinitis Pigmentosa Foundation  
 1993-94 Reviewer, Office of the Vice President for Research, University of Michigan  
 1993-94 Biological Research Review Committee (Institutional biosafety Committee) Office of the Vice President for Research, University of Michigan  
 1994 Ad hoc reviewer, National Cancer Foundation, United States-Israel Bi-national Foundation  
 1994-98 NINDS, NICHD, Special Review Committee, MRRC Site Visit Team  
 1999 Ad hoc reviewer, NINDS, Neurology Study Section  
 1998-01 Ad hoc reviewer, Howard Hughes and Carver Trust fellowships  
 1999-01 Iowa Biosciences Review Committee  
 1994 Ad hoc reviewer, National Institutes of Health: NINDS, RFA Special Review Committee, Medical Biochemistry Study Section  
 1996 Member, Mental Retardation Research Committee, National Institute of Child Health and Human Development (NICHD)  
 1996-- Ad hoc reviewer, Cystic Fibrosis Research Center  
 1997 Ad hoc reviewer, University of Iowa, HHMI – Pilot Grants  
 1999-- Reviewer, NIH Grant Review Committee  
 1999-- Reviewer, NICHD Grant Review Committee  
 1999 Ad Hoc member, NSDB Review Committee, NINDS, NIH, Seattle, 10/99  
 2000 Ad Hoc reviewer, Gene Therapy and Therapeutics Laboratory, National Institutes of Health (intramural)  
 2001 Ad Hoc member, RSRF Scientific Advisory Board  
 2002 Reviewer, NIH BDCN Grant Review Committee  
 2002-- Reviewer, ALS Association

---

#### ***Departmental, collegiate, university and national committees***

---

- 1994 Member, *Molecular Biology program*, University of Iowa College of Medicine  
 1995-99 Member, *Mental Retardation Research Committee*, National Institute of Child Health and Human Development (NICHD)  
 1995-98 Member, *Research Advisory Council*, University of Iowa College of Medicine, Office of the Dean  
 1995-- Member, The Parkinson's Disease Gene Therapy Consortium  
 1996-- Member, National Gene Vector Laboratory Scientific Review Board  
 1996-98 Co-Chair, College of Medicine Research Week, University of Iowa College of Medicine  
 1996-- Member, Neuroscience Interdisciplinary Graduate Degree Program, University of Iowa  
 1996-- Member, Interdisciplinary PhD Program in Genetics, University of Iowa College of Medicine  
 1997-- Member, Scientific Committee – Neuromuscular Disorders, American Society for Gene Therapy

- 1997-- Member, Admissions Committee, Opportunities for Interdisciplinary Research in Biomolecular Sciences (ORBS)
- 1997-99 American Heart Association, Midwest Regional Consortium
- 1997-99 Member, ORBS Graduate Admissions Committee
- 1998-- Member, Biosafety Level III Facility Advisory Committee
- 1996-97 Member, University of Iowa College of Medicine Research Retreat Working Group in Training and Recruitment
- 1998-- Chair, Cancer Center Space Committee, University of Iowa
- 1998 Virology Training Grant Committee, University of Iowa
- 1998 Virology Search Committee, University of Iowa
- 1998 Neurology Departmental Review Committee, University of Iowa
- 1998 Chair, Admissions Committee, Molecular Biology Training Program, University of Iowa
- 1999-- Member, Biosciences Graduate Admissions Committee
- 1999 Member, Biosciences Initiative Steering Committee, University of Iowa
- 1999-- American Society of Gene Therapy, Organization Committee
- 2000 Organizer, Symposia entitled “Cells and Genes and their Applications for Therapies for the Brain I” and “Cells and Genes and their Applications for Therapies for the Brain II”, FASEB, San Diego, California, April 16, 2000.
- 2000 Moderator, American Society of Gene Therapy session entitled “Cell Therapy for Muscle and Brain”, Denver, Colorado, June 3, 2000
- 2000-01 Chair, *Transgenic and Gene Targeting Facility Advisory Committee*, University of Iowa College of Medicine
- 2000-- Senior Member, *Center for Macular Degeneration*, University of Iowa College of Medicine
- 2000-02 Member, *Executive Committee, Neuroscience Graduate Program*, University of Iowa College of Medicine
- 2000-03 Member, Board of Directors, *American Society of Gene Therapy*
- 2000 Member, *Ad hoc Neurosurgery Search Committee*, University of Iowa
- 1999-03 Consultant, *Hunters Hope Foundation*
- 1999-- Consultant, *Curtis Foundation*
- 2000-- Member, *Scientific Advisory Board*, Batten Disease Support & Research Association (BDSRA)
- 2000-- Consultant, *Selective Genetics*
- 2001-02 Chair, *American Society of Gene Therapy Neural Disorders Gene Therapy Committee*
- 2001-04 Member, *Transgenic Facility Advisory Committee*, University of Iowa College of Medicine
- 2001-03 Member, *Gene Targeting Facility Advisory Committee*, University of Iowa College of Medicine
- 2001-03 Member, *Research Committee*, University of Iowa College of Medicine
- 2001-- Member, *Scientific Advisory Board*, Biomedica Inc
- 2002-03 Chair, *American Society of Gene Therapy, Neural Disorders Committee*
- 2002-04 Member, *Scientific Review Board*, National Gene Vector Laboratories
- 2002-04 Chair, *Gene Targeting Facility Advisory Committee*, University of Iowa College of Medicine
- 2002-04 Member, *Biosafety Level III Facility Advisory Committee*, University of Iowa College of Medicine.
- 2002-03 *Ex Officio* Member, *Gene Vector Core Committee*, University of Iowa College of Medicine
- 2002-03 Member, *Research Committee*, University of Iowa College of Medicine
- 2002-03 Member, *Transgenic Facility Advisory Committee*, University of Iowa College of Medicine
- 2003-- Member, *Presidential Biological Scholar Program Steering Committee*, University of Iowa College of Medicine
- 2003-- Member, *Scientific Advisory Board*, Sirna Therapeutics
- 2004-- Member, *Cardiovascular Research Center Executive Committee*, University of Iowa
- 2004-05 Member, *Graduate Student Affairs Committee*, University of Iowa
- 2005-08 Treasurer, American Society of Gene Therapy

**Other**

**Professional Affiliations**

<u>Year</u>	<u>Affiliation</u>
1999--	American Association for the Advancement of Science
1994-98	American Federation for Clinical Research – Midwest Section
1996--	American Society for Neuroscience
1997--	American Society of Gene Therapy
1998--	American Society for Microbiology

**Patents**

US Patent 5,647,072	“Adenoviral-Mediated Gene Transfer to Synovial Cells <i>In Vivo</i> ” Davidson and Roessler
US Patent 6,468,524 B1	“AAV5 Vector and Uses Thereof” Chiorini, Zabner and Davidson
US Patent 6,830,920 B2	“Rapid Generation of Recombinant Adenoviral Vectors” Davidson, Anderson, Haskell, Xia
US Patent 6,262,035 B1	“Gene Replacement Therapy for Mucular Dystrophy” Campbell, Davidson, Williamson, Lim, Duclos, Straub, Holt
US Patent 6,635,466B2	“Adenovirus serotype 30 (AD30)” Davidson and Law
US Patent 6,855,549	“Methods and compositions for increasing the infectivity of gene transfer vectors” McCray, Wang, Davidson, Bodner, Herrmann, Jolly.

**Patents Pending**

DHHS: E-071-00/0	“AAV4 Vector and Uses Thereof” Chiorini, Kotin, Safer, Davidson
USSN 08/824.997	“Microsphere Encapsulation of Gene Transfer Vectors” Davidson and Hilfinger
DHHS: E-072-00/0	“AAV5 Vector for Transducing Brain Cells and Lung Cells” Chiorini, Kotin, Safer, Davidson, Zabner
	“Methods of Transducing Cerebellar Neurons Using Lentivirus Vectors” Davidson, Sauter, Dubensky
	“Use of Recombinant Gene Delivery Vectors for Treating or Preventing Lysosomal Storage Disorders” Davidson, Sauter, Dubensky

**Inventions**

“PTD.Ad” Davidson, Xia
“RAPAd” Davidson, Anderson, Haskell, Xia

**Trademark**

“RAPAd” Davidson, Anderson, Haskell, Xia
------------------------------------------

**B.** Clinical Assignments : Not applicable

# Brain-directed gene therapy for lysosomal storage disease: Going well beyond the blood-brain barrier

William S. Sly<sup>\*†</sup> and Carole Vogler<sup>\*</sup>

<sup>\*</sup>Edward A. Doisy Department of Biochemistry and Molecular Biology, and <sup>†</sup>Department of Pathology, Saint Louis University School of Medicine, 1402 South Grand Boulevard, St. Louis, MO 63104

The lysosomal storage diseases (LSDs) are a heterogeneous group of disorders that affect 1/7,000 live-born infants, the majority of which develop central nervous system (CNS) disease. Brooks *et al.* (1) report exciting results from Davidson's group with brain-directed gene therapy for murine mucopolysaccharidosis (MPS) VII that are likely to have general implications for the treatment of CNS disease in LSD. Each LSD results from a deficiency of a single lysosomal enzyme important for degrading macromolecules that must be turned over in lysosomes. More than 40 LSDs have been described (2). Over the past two decades, dramatic progress has been made in understanding the biogenesis, structure, and function of lysosomes and the processes by which newly synthesized acid hydrolases are assembled, processed, and transported to lysosomes.

Understanding the receptors that target enzymes to lysosomes, some of which are expressed on the cell surface, led to the development of successful enzyme replacement therapy for one of the LSDs, Gaucher Disease, a disorder of sphingolipid degradation (3). Gaucher Disease results from deficiency of glucocerebrosidase ( $\beta$ -glucosidase), the enzyme involved in the last step of sphingolipid degradation. Storage of glucocerebroside in macrophages produces tremendous enlargement of spleen and liver, disabling bone involvement and occasional pulmonary incapacity. The strategy for treatment involved purification of placental enzyme and later recombinant enzyme from Chinese hamster ovary cell secretions and modification of the native enzyme to expose mannose residues on oligosaccharides. This strategy targets the infused enzyme to the mannose receptors of fixed-tissue macrophages, precisely the cells af-

ected by the storage; receptor-mediated endocytosis delivers enzyme to the lysosomes where the substrate is stored. Over 3,500 Gaucher Disease patients have been treated since the early 1990s, and the treatment is considered a clinical success (4). The major form of Gaucher Disease does not have CNS involvement. However, the less common neuropathic forms

of Gaucher Disease will require a strategy for the enzyme to reach the CNS.

Another apparent success in the treatment of LSD is enzyme therapy for Fabry Disease, another sphingolipid disorder that does not produce lysosomal

storage in the CNS (5). This LSD affects primarily vascular endothelial cells and results from a deficiency of  $\alpha$ -galactosidase A, which leads to the pathological accumulation of globotriaosylceramide (GL3) and related glycosphingolipids in these cells. Kidney involvement leads to loss of renal function in the third or fourth decade of life. This disease does not affect brain directly, so enzyme access to brain is not required, but it does eventually lead to cerebral vascular insufficiency because of endothelial damage. Two clinical trials of enzyme produced by two different companies were reported recently (6, 7). Although both appear very promising, long-term data are not yet available. Both products have been approved for clinical use in Europe, and approval for both has been sought in the United States.

The MPS storage disorders are also moving up to the plate for enzyme replacement with clinical trials for MPS I (Hurler Disease,  $\alpha$ -L-iduronidase deficiency) already reported (8), trials for MPS II (Hunter Disease,  $\alpha$ -L-iduronidase sulfate deficiency) under way, and trials for MPS VI (Maroteaux-Lamy Disease, N-acetylgalactosamine-4-sulfatase defi-

ciency) are just beginning. Although MPS VII (Sly Disease,  $\beta$ -glucuronidase deficiency) may be among the last of these disorders to be treated, it played an important role in the evolution of enzyme replacement therapy for the whole group of LSDs (9). Because it appears unlikely that infused lysosomal enzymes will cross the blood-brain barrier, there is not much optimism that i.v. administered enzyme alone will correct the CNS storage present in most of the MPS disorders.

Like the MPS, most of the other LSDs also have CNS involvement and therefore require a strategy for getting enzyme beyond the blood-brain barrier to achieve correction. A number of groups using a variety of viral vectors and enzyme-producing cells have achieved expression of enzyme in brain of animal models (10–17). Impressive degrees of clearing of local, and in some cases distant, storage have been demonstrated. These experiments raised hopes that arresting progression of CNS pathology was possible through brain-directed gene therapy. What few dared to hope was that this approach would not only prevent progression but also erase neurologic deficits. That is just what Davidson's group reports (1).


The authors (1) show that established CNS storage and the related functional deficits in MPS VII mice can be ameliorated by viral-mediated gene therapy. The lentivirus feline immunodeficiency viral vector they used transduced terminally differentiated cells in the brain and mediated  $\beta$ -glucuronidase (GUSB) gene transfer into CNS cells in adult MPS VII mice. This treatment resulted in secretion of GUSB from transduced cells and uptake by nontransduced cells, leading to reduction in preexisting established brain LSD. Correlating with the reduction in storage in the CNS, these adult mice with

See companion article on page 6216.

<sup>†</sup>To whom reprint requests should be addressed. E-mail: slyws@slu.edu.

established behavioral abnormalities related to the lysosomal storage had dramatic improvement in spatial learning and memory when GUSB was expressed. Finally, the correction of the pathology and cognitive improvement were accompanied by changes in expression of genes that have been associated with neuronal plasticity. These observations are particularly important because, as the authors point out, most patients with LSD are not diagnosed until they have established lysosomal storage lesions and functional defects. Recovery of function rather than protection from disease onset is a key goal for any effective therapy for human LSD, because most patients are diagnosed well after onset of CNS disease.

The model the authors (1) chose to study is murine MPS VII, the mouse model for human MPS VII or Sly Disease, which results from GUSB deficiency (18). MPS VII is one of the rarest of the human mucopolysaccharide storage disorders, each of which is produced by deficiency in one of the enzymes involved in the degradation of glycosaminoglycans (GAGs), formerly called mucopolysaccharides. Its importance in the evolution of our understanding of lysosomal enzyme targeting outweighs its clinical significance. When first discovered in the early 1970s, MPS VII had one unique feature among the MPS disorders: the deficient enzyme, GUSB, had been purified and characterized several years before the disease was identified. Addition of GUSB was shown to prevent and correct the accumulation of GAGs in fibroblasts from MPS VII patients (19, 20). Thus, MPS VII immediately attracted attention as a model to study enzyme replacement therapy. Studies of the cultured skin fibroblast model system led to the discovery that uptake of GUSB depends on cell surface receptors that recognize phosphate-containing sugar moieties (Man6-P) on the enzyme (21). The Man6-P residues are added to the GUSB and other acid hydrolases as a means of targeting intracellular enzymes



**Fig. 1.** An adult MPS VII (Sly Disease) mouse (Left) is much smaller than its phenotypically normal littermate (Right) and has facial dysmorphism with a broad shortened nose and short limbs.

to lysosomes. Another receptor was identified when injected GUSB, from which phosphate had been removed, was found to be rapidly taken up by fixed-tissue macrophage receptors that recognize exposed mannose residues (22). These studies paved the way for Brady and associates to develop "mannose-targeted" cerebroside for the treatment of Gaucher Disease (3, 4). These early findings naturally heightened hopes that enzyme replacement in MPS VII patients might lead to correction of lysosomal storage lesions in this disorder. However, MPS VII proved to be too rare (fewer than 100 cases recognized) and too variable to allow controlled experiments to evaluate the response to enzyme therapy.

Nonetheless, hopes for therapy for this and related disorders were greatly advanced by the discovery by Birkenmeier *et al.* at The Jackson Laboratory that GUSB deficiency in mice produces a disorder resembling Sly Disease in humans (23). (Fig. 1) MPS VII mice have a degenerative

disease with progressive disability that reduces life span from an average of 28 to just 5 months. Progressive accumulation of undegraded glycosaminoglycans in lysosomes affects the spleen, liver, kidney, cornea, brain, heart valves, and skeletal system and produces widespread organ dysfunction. Progressive hearing loss leads to early deafness, and defects in learning and memory are evident (24–26).

The MPS VII mouse, with a well characterized and uniform genetic constitution and a relatively short life span, proved an attractive model to study experimental therapies for LSD. Mice with MPS VII responded well to bone marrow transplantation, although there was little reduction in brain storage vesicles (27, 28). Enzyme replacement using recombinant GUSB elicited dramatic improvements in visceral pathology but little change in the lysosomal storage lesions in brain unless given to newborns (29–32). Infused GUSB did not cross the blood–brain barrier in mice after 2 wk of age (32). Many promising studies have been reported recently by using this model to study gene therapy, including therapy for CNS storage (10–17). Brain-directed gene therapy, in which viral vectors were introduced directly into the brain, proved one way to bypass the blood–brain barrier, and several studies showed evidence of clearance of CNS storage. However, until now, none of these studies addressed the question raised by Brooks *et al.* (1): whether therapy that corrected the typical cellular pathology in brain could also erase preexisting neurological deficits. For this reason, the study by Davidson's group represents a major advance in this area.

Given the rapidly expanding number of animal models of LSD with CNS involvement and the generality of the biology of lysosomal enzyme transport, these studies are likely to be replicated in other animal models. If the results in other animal models turn out to be as promising as those presented for murine MPS VII, this study will likely be viewed as a landmark that took us well beyond the blood–brain barrier.

- Brooks, A. I., Stein, C. S., Hughes, S. M., Heth, J., McCray, P. M., Jr., Sauter, S. L., Johnston, J. C., Cory-Slechta, D. A., Federoff, H. J. & Davidson, B. L. (2002) *Proc. Natl. Acad. Sci. USA* 99, 6216–6221.
- Scriver, C. R., Beaudet, A. L., Sly, W. S. & Valle, D., eds. (2001) *The Metabolic and Molecular Bases of Inherited Disease* (McGraw-Hill), 8th Ed., pp. 3371–3896.
- Barton, N. W., Brady, R. O., Dambrosia, J. M., Di Bisceglie, A. M., Doppelt, S. H., Hill, S. C., Mankin, H. J., Murray, G. J., Parker, R. I. & Argoff, C. E. (1991) *N. Engl. J. Med.* 324, 1464–1470.
- Barranger, J. A. & O'Rourke, E. (2001) *J. Inher. Metab. Dis.* 24 Suppl. 2, 89–96.
- Desnick, R. J., Ioannou, Y. A. & Eng, C. M. (2001) in *The Metabolic and Molecular Bases of*

*Inherited Disease*, eds. Scriver, C. R., Beaudet, A. L., Sly, W. S. & Valle, D. (McGraw-Hill), pp. 3733–3774.

- Eng, C. M., Guffon, N., Wilcox, W. R., Germain, D. P., Lee, P., Waldek, S., Caplan, L., Linthorst, G. E. & Desnick, R. J. (2001) *N. Engl. J. Med.* 345, 9–16.
- Schiffmann, R., Kopp, J. B., Austin, H. A., III, Sabnis, S., Moore, D. F., Weibel, T., Balow, J. E. & Brady, R. O. (2001) *J. Am. Med. Assoc.* 285, 2743–2749.
- Kakkis, E. D., Muenzer, J., Tiller, G. E., Waber, L., Belmont, J., Passage, M., Izykowski, B., Phillips, J., Doroshov, R., Walot, I., *et al.* (2001) *N. Engl. J. Med.* 344, 182–188.
- Sly, W. S. (1993) *Nat. Genet.* 4, 105–106.
- Frisella, W. A., O'Connor, L. H., Vogler, C. A., Roberts, M., Walkley, S., Levy, B., Daly, T. M. & Sands, M. S. (2001) *Mol. Ther.* 3, 351–358.

- Ghods, A., Stein, C., Derksen, T., Martins, I., Anderson, R. D. & Davidson, B. L. (1999) *Exp. Neurol.* 160, 109–116.
- Ohashi, T., Watabe, K., Uehara, K., Sly, W. S., Vogler, C. & Eto, Y. (1997) *Proc. Natl. Acad. Sci. USA* 94, 1287–1292.
- Snyder, E. Y., Taylor, R. M. & Wolfe, J. H. (1995) *Nature (London)* 374, 367–370.
- Watson, G. L., Sayles, J. N., Chen, C., Elliger, S. S., Elliger, C. A., Raju, N. R., Kurtzman, G. J. & Podsakoff, G. M. (1998) *Gene Ther.* 5, 1642–1649.
- Bosch, A., Perret, E., Desmaris, N. & Heard, J. M. (2000) *Mol. Ther.* 1, 63–70.
- Bosch, A., Perret, E., Desmaris, N., Trono, D. & Heard, J. M. (2000) *Hum. Gene Ther.* 20, 1139–1150.
- Xia, H., Mao, Q. & Davidson, B. L. (2001) *Nat. Biotechnol.* 19, 640–644.



18. Sly, W. S., Quinton, B. A., McAlister, W. H. & Rimoin, D. L. (1973) *J. Pediatr.* **82**, 249–257.
19. Hall, C. W., Cantz, M. & Neufeld, E. F. (1973) *Arch. Biochem. Biophys.* **155**, 32–38.
20. Brot, F. E., Glaser, J. H., Roozen, K. J., Sly, W. S. & Stahl, P. D. (1974) *Biochem. Biophys. Res. Commun.* **57**, 1–8.
21. Kaplan, A., Achord, D. T. & Sly, W. S. (1977) *Proc. Natl. Acad. Sci. USA* **74**, 2026–2030.
22. Achord, D. T., Brot, F. E., Bell, C. E. & Sly, W. S. (1978) *Cell* **15**, 269–278.
23. Birkenmeier, E. H., Davison, M. T., Beamer, W. G., Ganschow, R. E., Vogler, C. A., Gwynn, B., Lyford, K. A., Maltais, L. M. & Wawrzyniak, C. J. (1989) *J. Clin. Invest.* **83**, 1258–1266.
24. Berry, C. L., Vogler, C., Galvin, N. J., Birkenmeier, E. H. & Sly, W. S. (1994) *Lab. Invest.* **71**, 438–445.
25. Chang, P. L., Lambert, D. T. & Pisa, M. A. (1993) *NeuroReport* **4**, 507–510.
26. O'Connor, L. H., Erway, L. C., Vogler, C. A., Sly, W. S., Nicholes, A., Grubb, J., Holmberg, S. W., Levy, B. & Sands, M. S. (1998) *J. Clin. Invest.* **101**, 1394–1400.
27. Birkenmeier, E. H., Barker, J. E., Vogler, C. A., Kyle, J. W., Sly, W. S., Gwynn, B., Levy, B. & Pegors, C. (1991) *Blood* **78**, 3081–3092.
28. Sands, M. S., Erway, L. C., Vogler, C., Sly, W. S. & Birkenmeier, E. H. (1995) *Blood* **86**, 2033–2040.
29. Sands, M. S., Vogler, C., Kyle, J. W., Grubb, J. H., Levy, B., Galvin, N., Sly, W. S. & Birkenmeier, E. H. (1994) *J. Clin. Invest.* **93**, 2324–2331.
30. Sands, M. S., Vogler, C., Torrey, A., Levy, B., Gwynn, B., Grubb, J., Sly, W. S. & Birkenmeier, E. H. (1997) *J. Clin. Invest.* **99**, 1596–1605.
31. Vogler, C., Sands, M. S., Levy, B., Galvin, N., Birkenmeier, E. H. & Sly, W. S. (1996) *Pediatr. Res.* **39**, 1050–1054.
32. Vogler, C., Levy, B., Galvin, N. J., Thorpe, C., Sands, M. S., Barker, J. E., Baty, J., Birkenmeier, E. H. & Sly, W. S. (1999) *Pediatr. Res.* **45**, 838–844.



## RESEARCH ARTICLE

# Viral-mediated delivery of the late-infantile neuronal ceroid lipofuscinosis gene, TPP-I to the mouse central nervous system

RE Haskell<sup>1</sup>, SM Hughes<sup>1</sup>, JA Chiorini<sup>2</sup>, JM Alisky<sup>1</sup> and BL Davidson<sup>1,3,4</sup>

Program in Gene Therapy, Departments of <sup>1</sup>Internal Medicine, <sup>3</sup>Neurology, <sup>4</sup>Physiology & Biophysics, University of Iowa College of Medicine, Iowa City, IA, USA; <sup>2</sup>National Institute of Dental and Craniofacial Research, National Institutes of Health, Bethesda, MD, USA

Classical late-infantile neuronal ceroid lipofuscinosis (LINCL) is caused by mutations in tripeptidyl peptidase I (TPP-I), a pepstatin-insensitive lysosomal protease, resulting in neurodegeneration, acute seizures, visual and motor dysfunction. *In vitro* studies suggest that TPP-I is secreted from cells and subsequently taken up by neighboring cells, similar to other lysosomal enzymes. As such, TPP-I is an attractive candidate for enzyme replacement or gene therapy. In the present studies, we examined the feasibility of gene transfer into mouse brain using recombinant adenovirus (Ad), feline immunodeficiency virus (FIV) and adeno-associated virus (AAV) vectors expressing TPP-I, after single injections into the striatum or cerebellum. A dual TPP-I- and  $\beta$ -galactosidase-expressing adenovirus vector (AdTTP-I/nls $\beta$ gal) was used to distinguish transduced ( $\beta$ -galactosidase positive) cells from cells that endocytosed secreted TTP-I. Ten days

after striatal injection of AdTTP-I/nls $\beta$ gal,  $\beta$ -galactosidase-positive cells were concentrated around the injection site, corpus callosum, ependyma and choroid plexus. In cerebellar injections,  $\beta$ -galactosidase expression was confined to the region of injection and in isolated neurons of the brainstem. Immunohistochemistry for TPP-I expression showed that TPP-I extended beyond areas of  $\beta$ -galactosidase activity. Immunohistochemistry for TTP-I after FIVTTP-I and AAV5TTP-I injections demonstrated TPP-I in neurons of the striatum, hippocampus and Purkinje cells. For all three vectors, TPP-I activity in brain homogenates was 3–7-fold higher than endogenous levels in the injected hemispheres. Our results indicate the feasibility of vector-mediated gene transfer of TPP-I to the CNS as a potential therapy for LINCL. Gene Therapy (2003) 10, 34–42. doi:10.1038/sj.gt.3301843

**Keywords:** Batten disease; CLN2; gene therapy; CNS; lysosomal storage disease

## Introduction

The neuronal ceroid lipofuscinoses (NCLs) are a group of diseases related by accumulation of storage pigments in secondary lysosomes. Historically patients were classified by the ultrastructural morphology of the storage deposits and clinical course.<sup>1,2</sup> One type of NCL is the classical late-infantile form, late-infantile neuronal ceroid lipofuscinosis (LINCL), also known as Jansky-Bielschowsky disease and CLN2 deficiency and pepinase deficiency.<sup>3</sup> LINCL is an acute seizure disorder that begins between 4 and 6 years of age, with rapid deterioration in visual, motor and cognitive functioning. Lysosomal accumulations are evident by electron microscopy as curvilinear osmophilic deposits in tissue biopsies. The deposits consist predominantly of ATP synthase subunit c,<sup>4</sup> a hydrophobic 75 amino acid lipoprotein normally localized in the inner mitochondrial membrane. Recently, gene mapping and functional genomics has allowed

identification of the disease allele, and classification of patients based on specific genetic lesions.<sup>5</sup>

Classical LINCL is caused by deficiency of the 46-kDa amino-tripeptidyl peptidase (TPP-I), a lysosomal serine protease with activity on peptides of less than 15 kDa.<sup>3–8</sup> TPP-I, which traffics via the classical mannose-6-phosphate receptor mechanism, is synthesized as a glycosylated 66 kDa inactive precursor that is auto-activated at acidic pH to remove a 20 kDa propeptide.<sup>9</sup> The relationship between subunit c accumulation and TPP-I deficiency is unclear, however data support a requirement for TPP-I early in the progressive enzymatic degradation of ATP synthase subunit c.<sup>10,11</sup>

Current therapy for LINCL can only ameliorate the seizure disorder through conventional anti-epileptic drugs, but cannot change the natural history of the disorder. This would require correcting the underlying cause of lysosomal accumulation by delivery of TPP-I, or genes expressing it, to the brain. Like the soluble lysosomal enzymes arylsulfatase A and  $\beta$ -glucuronidase, TPP-I is secreted from expressing cells *in vitro*, and endocytosed into non-expressing cells.<sup>12–14</sup>  $\beta$ -Glucuronidase and arylsulfatase A are also capable of being transported in a retrograde fashion from the site of secretion. Earlier studies in animal models of the lysosomal storage diseases metachromatic

Correspondence: BL Davidson, Roy J. Carver Professor in Internal Medicine, 200 EMRB, University of Iowa College of Medicine, Iowa City, IA 52252, USA

The first two authors contributed equally

Received 20 March 2002; accepted 2 June 2002


leukodystrophy and  $\beta$ -glucuronidase deficiency support the ability of directed gene expression for broadly distributed enzyme activity and correction of storage deficits.<sup>14-19</sup> We hypothesize that, similarly, focal TPP-I expression in brain may result in enzyme activity beyond the zone of transduced cells.

Currently, the lack of an animal model precludes testing enzyme and/or gene therapy strategies for the CNS deficits of LINCL. However, viral vectors that direct high-level expression of TPP-I allow us to make an initial assessment of enzyme spread following CNS gene transfer with recombinant adenovirus (Ad), feline immunodeficiency virus (FIV) and adeno-associated virus type 5 (AAV5) vectors. FIV results in focal transduction when delivered to brain.<sup>19,20</sup> Ad leads to local transduction but also moves along white matter tracts, such as the corpus callosum, for transduction of ependyma lining the ventricles.<sup>15,16</sup> AAV5-derived vectors infect a relatively large volume within the mouse brain.<sup>20,21</sup> In the current study, TPP-I wild-type mice (C57BL/6) were injected with Ad, FIV or AAV5 vectors encoding TPP-I into the striatum or cerebellum, and the levels and distribution of TPP-I assessed using immunohistochemistry and enzymatic assays.


## Results

We first determined the nature of TPP-I secreted from virally transduced cells *in vitro*. A549 cells were infected with AdTPP-I, FIVTPP-I or Adnls $\beta$ gal (control) and TPP-I activity in the media measured 48 h later. There was no measurable activity in supernatants, indicating that either TPP-I was not secreted or was secreted in the inactive form. As stated earlier, the unprocessed enzyme is inactive, with activation requiring removal of the 20 kDa pro-peptide by auto-activation at pH<4.5. Incubation of harvested supernatants in citrate buffer pH 4.2 for 30 min prior to the addition of the substrate resulted in significant increases in TPP-I activity, up to 1000 times that of the control medium. Thus, secreted TPP-I was predominantly in the inactive form (Figure 1a). In contrast, TPP-I in cell lysates was active. The 100-fold difference in cell-associated TTP-1 activity between FIV- and Ad-infected cells did not correlate to greater enzyme activity in the conditioned media of AdTTP-I infected cells, suggesting that the limits of TTP-1 secretion are reached when activity approaches ~seven-fold over endogenous levels.

To determine if LINCL fibroblasts could activate exogenously derived TPP-I, a conditioned medium was



**Figure 1** TPP-I activation and uptake *in vitro*. (a) TPP-I activity levels in cell lysates and media following infection of A549 cells with AdTPP-I/nls $\beta$ gal or FIVTPP-I, or mock infected. Enzyme activity was normalized to mock-infected A549 cells. TPP-I in media samples was autoactivated by incubation in citrate buffer pH 4.0 for 30 min. (b) LINCL cells containing a splice junction and non-sense mutation (RMO5387), immunostained 48 h after culture in TPP-I-enriched media. Cells demonstrated TPP-I immunoreactivity (top panel), in contrast to cells cultured in control media (bottom panel). (c) TPP-I activity in LINCL fibroblast cell lysates following incubation in conditioned media from AdTPP-I/nls $\beta$ gal-infected A549 cells.




**Figure 2** AdTPP-I/nlsβgal expression in the cerebrum and cerebellum 10 days post-injection. (a) Photomicrograph depicting TPP-I (green) and nlsβgal (red) immunoreactivity. (b) TPP-I-positive cells in the absence of β-galactosidase immunoreactivity (arrow) demonstrating uptake of TPP-I in the injected hemisphere. (c) β-Galactosidase expression in the cerebellum after injection of AdTPP-I/nlsβgal into the cerebellar cortex. Note the high concentration of positive nuclei primarily in the white matter tracts of the arbor vitae and also neurons in the brain stem (arrow). (d) TPP-I immunoreactivity in the section adjacent to c. (e) Dual IHC for TPP-I (green) and NeuN (red), in the brainstem. This area from c, arrow. (f) TPP-I-positive cells in the choroid plexus from d. (g) Section adjacent to F stained for β-galactosidase expression.

prepared by infecting A549 cells with AdTPP-I/nlsβgal or the control virus, Adnlsβgal. AdTPP-I/nlsβgal expressed TPP-I and nuclear-localized β-galactosidase (nlsβgal) in the E1 and E3 regions of the adenovirus genome, respectively. TPP-I and nlsβgal were expressed from the CMV or RSV promoter. LINCL fibroblasts were cultured for 48 h with conditioned or control medium from AdTPP-I/nlsβgal- or Adnlsβgal-infected A549 cells, respectively, and then stained for TPP-I immunoreactivity. TPP-I was localized to structures consistent with lysosomal/endosomal compartmentalization (Figure 1b). There was no immunoreactivity in cells treated with Adnlsβgal-conditioned supernatant. The supernatant and cell lysates were assayed 1, 7 or 25 h after addition of media (Figure 1c). Less than 10% of the TPP-I was active in the conditioned media. After 1 h, 50% of the cell-associated TPP-I was active. By 7 and 25 h, 90% and 100% of the endocytosed TPP-I was converted to active enzyme, respectively. These data demonstrate that TPP-I-deficient cells effectively endocytosed and trafficked TPP-I to acidic compartments for activation.

The secretion of TPP-I from transduced cells after injection of  $7 \times 10^9$  infectious units (i.u.) of AdTPP-I into


mouse brain was evaluated. The nuclear-targeted β-galactosidase allowed for identification of transduced cells (nlsβgal<sup>+</sup>/TPP-I<sup>+</sup>) versus those that had taken up TPP-I only (TPP-I<sup>+</sup>/βgal<sup>-</sup>). As shown in Figure 2a, IHC demonstrated TPP-I immunoreactivity in the corpus callosum, the ependyma, and the striatum following striatal injection. The majority of TPP-I-positive cells also contained β-galactosidase-positive nuclei, however some cells were clearly TPP-I<sup>+</sup>/βgal<sup>-</sup> (Figure 2b, arrow) indicating that secretion and uptake had occurred. In cerebella injected with AdTPP-I/nlsβgal ( $2.9 \times 10^9$ ), β-galactosidase (Figure 2c) and TPP-I immunoreactivity (Figure 2d) were highest in the white matter tracts near the injection site. Radial projections and cell bodies of Bergman glia were also strongly positive for TPP-I immunoreactivity and β-galactosidase (not shown). Isolated βgal<sup>+</sup> cells in the brainstem (Figure 2c, arrow) were both NeuN and TPP-I positive (Figure 2e). TPP-I immunoreactivity in these cells resulted from retrograde transport of AdTPP-I/nlsβgal, rather than uptake and subsequent transport of TPP-I. TPP-I<sup>+</sup>/βgal<sup>-</sup> cells were particularly notable in the choroid plexus of the 4<sup>th</sup> ventricle, indicating that these non-transduced ependymal




**Figure 3** FIVTPP-I-mediated gene transfer to the cerebrum (a) and cerebellum (b,c). (a) TPP-I-positive, NeuN-positive cells in the striatum. (b) TPP-I immunoreactivity in Purkinje cells. (c) TPP-I staining of Purkinje cell bodies and dendrites extending into the molecular layer.

cells had endocytosed TPP-I secreted into the CSF (Figures 2f and g). Immunohistochemical analyses on naïve control brain sections were consistently negative using this rabbit polyclonal antisera (Methods).

We next tested expression from FIV- and AAV-based vectors in murine brain. In striata injected with  $2.5 \times 10^6$  FIVTPP-I, TPP-I immunoreactivity was limited to the injection site and below the corpus callosum. Dual staining 10 days after injection demonstrated that the majority of TPP-I-positive cells were also positive for the neuronal marker NeuN (Figure 3a). Similar results were obtained at 16 and 33 weeks post-injection (not shown). Injections of FIVTPP-I ( $1 \times 10^6$  i.u) into the cerebellum resulted in TPP-I immunoreactivity in Purkinje cells and their dendrites (Figures 3b and c). For AAV5TPP-I ( $5 \times 10^9$  pt), we examined the distribution of TPP-I 10 weeks after striatal administration. TPP-I immunoreactivity was detected in sagittal brain slices several millimeters caudal to the injection site, especially in the hippocampus (Figure 4). This is consistent with earlier results showing that AAV5 transduces hippocampal neurons



**Figure 4** Expression of TPP-I 10 weeks after AAV5TPP-I injection into the cerebrum. A representative sagittal section is shown. TPP-I immunoreactivity was evident in CA2 and CA3 of the hippocampus. DG, dentate gyrus.



**Figure 5** TPP-I enzyme activity in brain lysates. The data are represented as fold increase in activity over non-injected controls for lysates harvested rostral (–5 mm) to caudal (7 mm) of the injection site (0 position). (a) Distribution of TPP-I and  $\beta$ -galactosidase 10 days after AdTPP-I/nls $\beta$ gal injection. TPP activity data are depicted as bar graphs (left y-axis, fluorescence units/mg protein).  $\beta$ -Galactosidase activity data are shown as line graphs (right y-axis, pg  $\beta$ -galactosidase/mg protein). Black line, injected (ipsilateral, il) hemisphere. Gray line, non-injected (contralateral, cl) hemisphere. (b) TPP-I activity 10 days after FIVTPP-I-mediated gene transfer. (c) Comparison of TPP-I activity in the injected hemispheres at 10 and 112 days following FIVTPP-I gene transfer. (d) TPP-I distribution 10 weeks after AAV5TPP-I injection into mice striata. Data represent the means  $\pm$  standard deviation. In (b)–(d), y-axis is TPP-I activity (FU/mg protein). \* $P \leq 0.05$  relative to control sections in all cases.

following an intrastriatal injection (J Heth and BL Davidson, unpublished observations).

In addition to qualitative comparisons using immunohistochemistry, enzyme assays on brain lysates were done. Unlike IHC using the antibody described, endogenous levels of active TPP-I were detectable throughout the brain. At various time points after intrastriatal injection of recombinant Ad, AAV or FIV, 1-mm-thick coronal tissue slices from the entire brain were harvested and the coronal sections separated into injected (ipsilateral) and non-injected (contralateral) hemispheres. Enzyme activity in each hemisphere was independently assayed with and without pre-activation. TPP-I was in the active form as pretreatment at acidic pH did not increase levels of activity. Thus, secreted, inactive TPP-I is readily taken up and activated, or in contrast to our *in vitro* data, neural cells *in vivo* secrete TPP-I in the active form.

In mice receiving injections of  $7 \times 10^7$  i.u. AdTPP-I/nls $\beta$ gal, TPP-I activity was up to six times higher than endogenous levels immediate to the injection site, and significantly above endogenous levels in the surrounding 4 mm ( $P < 0.05$  for 0 and 1 mm, respectively relative to Ad $\beta$ gal controls). The elevation in activity was limited to

the injected hemisphere (Figure 5a). In general  $\beta$ -galactosidase activity correlated with TPP-I distribution, except for a consistent peak 5 mm caudal of the injection site.

FIVTPP-I injections ( $2.5 \times 10^6$  i.u.) also resulted in a similar-fold increase in TPP-I activity when compared to endogenous levels in control brain sections. At 10 days after injection, TPP-I activity was significantly higher than background within 2 mm of the injection site (Figure 5b;  $P < 0.05$  for 0 and 1 mm respectively, relative to control). By 16 weeks (112 days), the TPP-I activity was elevated relative to the 10 day time point, with a trend toward an increased rostral distribution (Figure 5c;  $P < 0.05$  for the –1, 0 and 1 mm sections, respectively relative to control). There was no further increase in enzyme levels or distribution in brains harvested and assayed 33 weeks after injection (data not shown).

Similar to AdTPP-I/nls $\beta$ gal and FIVTPP-I, AAV5TPP-I ( $5 \times 10^9$  pt) injections resulted in TPP-I enzyme activities five-fold over background. However, and unlike brains from FIVTPP-I injected mice, AAV5TPP-I did not result in a distinct peak of TPP-I activity. We found elevated, nearly equivalent levels of enzyme 4 mm around the injection site (Figure 5d) which was significantly greater

than control treated mice ( $P < 0.05$  for -1, 0 and 1 mm sections, respectively). Together, the data support that TPP-I can be expressed in brain following transduction of neurons, glia and ependyma, with spread of enzyme detectable up to 4 mm surrounding the injection site.

## Discussion

Delivery of TPP-I to cells in the CNS by viral-mediated gene delivery may provide therapy for LINCL. Amelioration of the CNS deficits of this disorder would likely require widespread, rather than focal correction. Using other animal models of lysosomal storage disease as guides,<sup>14,15,19,22</sup> we hypothesize that TPP-I secretion from transduced cells, followed by subsequent uptake by non-transduced cells, would lead to an extensive area of recombinant enzyme activity. In the current study we found that TPP-I expressed in brain is secreted and active, and using IHC and enzyme assay found evidence of TPP-I 2–4 mm from the injection site. While the sensitivity of our assays precludes the detection of increased enzyme expression beyond this region, we believe that the spread of enzyme may extend beyond the 2–4 mm detected. The best assessment of the extent of enzyme spread and correction will come from studies performed in animals deficient in TPP-I.

Similar to earlier work with TPP-I harvested from baculovirus-infected Sf9 cells, or overexpressing COS cells,<sup>9</sup> TPP-I secreted from A549 cells was inactive. In both cases, the enzyme could be auto-activated *in vitro* at pH < 4.5, or alternatively, following endocytosis by LINCL fibroblasts and lysosomal activation. Surprisingly, we did not find evidence of inactive enzyme in brains following viral-mediated gene transfer of TPP-I. Pre-activation of tissue lysates at low pH did not enhance TPP-I activity levels, and the kinetics of each reaction were linear over the entire assay, indicating that essentially all of the TPP-I in the brain was in the active form. Our *in vitro* data support that TPP-I was secreted as the inactive 66 kDa form *in vivo* followed by immediate uptake and activation.

We were surprised to find few transduced TTP-I<sup>+</sup>/βgal<sup>-</sup> cells given our prior experience with β-glucuronidase, and data from other published reports. This may reflect distinct differences between TPP-I and the lysosomal enzymes α-N-acetylglucosaminidase, arylsulfatase A, and β-glucuronidase with respect to their ability to spread from the site of secretion. Alternatively, it could reflect the sensitivity of our enzyme activity assay method, or the polyclonal antibody. The best indication of TPP-I spread, either through retrograde transport or by distribution through the CSF, will come from TPP-I-knock-out mice with a measurable and/or histological phenotype where issues of clearance of pathology relative to enzyme activity levels can be addressed.

The vectors used in this study resulted in a three- to seven-fold increase over endogenous TPP-I activity following a single injection, and TPP-I distribution increased from 10 days to 16 weeks in mice injected with FIVTPP-I. In AAV5 and FIV, two vectors known to provide long-term expression, these levels were maintained until the end of the experiment at 10 and 33 weeks respectively. The levels of TPP-I activity required for

therapeutic benefit are currently unknown. Using other lysosomal disorders as a benchmark, generally 1–5% normal enzymatic levels are sufficient for beneficial effects by enzyme replacement therapies.<sup>23–25</sup> Again, therapeutic levels of TPP-I that are undetectable by IHC or enzyme assay, may be sufficient for correction of the cellular phenotype, as seen in the mucopolysaccharidosis type VII mouse model.<sup>13,16,26</sup>

Increased β-galactosidase activity in the region 5 mm caudal to the injection site in AdTPP-I-injected mice did not result in detectable local increases in TPP-I activity (Figure 5a). These cells were presumably infected at their termini followed by retrograde transport of the vector, leading to increased β-galactosidase activity. Lack of detectable TPP-I in these same cells could be due to assay sensitivity limits. An alternative possibility is that TPP-I was made in these cells with most anterogradely transported back to the injection site.

Injection of adenovirus into the cerebellum gave the most convincing evidence of secretion and uptake of TPP-I. Cells of the choroid plexus were very positive for TPP-I immunoreactivity but displayed no detectable β-galactosidase activity. Interestingly, expression of TPP-I in Bergman glia did not lead to TPP-I immunoreactivity in Purkinje cells. This may indicate that either Bergman glia do not secrete TPP-I, or that the nearby Purkinje cell soma and its extensive dendritic tree do not efficiently endocytose TPP-I.

In summary, the total distribution of TPP-I is the product of the intrinsic ability of the vector to spread from the injection site and the subsequent spread of the secreted gene product. Optimization of the efficiency of TPP-I delivery will require the use of vectors that demonstrate wide distribution and long-term expression. In addition, modifications of the secreted proteins may be employed to increase their ability to spread throughout the parenchyma.<sup>13</sup> Maximizing distribution of the vectors or the specific gene product will facilitate effective therapies for LINCL and other lysosomal storage diseases.

## Materials and methods

### Viral constructs

An adenovirus encoding TPP-I in the E1 region was generated by sub-cloning the human TPP-I cDNA<sup>12</sup> into the pacAd5CMV plasmid. The resulting shuttle (Ad5CMVTPP-I) was recombined with pacAd5 9.2-100 in HEK 293 cells to produce recombinant adenovirus particles, AdTTP-I.<sup>27</sup> The second adenovirus used in this study contained a nuclear targeted lacZ (nlsβgal) sub-cloned into the E3 region in addition to TPP-I in E1. To generate this construct, the existing pacAd5 9.2-100 plasmid was modified to include a SmaI restriction site after deleting the E3 region.<sup>13</sup> DNA containing nlsβgal was cut from the plasmid pAdCMVnlsβgal with PmeI and SpeI and sub-cloned into the pAd5E3RSV recombination shuttle. Ad5E3RSVnlsβgal was cut with SmaI and Ad5 9.2-100SmaI with SmaI and recombined using methods described earlier.<sup>13,28</sup> The resulting plasmid pacAd5 9.2-100nlsβgal was then transfected with the Ad5CMVTPP-I shuttle in HEK 293 cells to make the dual-expressing virus Ad5TPP-I/nlsβgal.<sup>27</sup> Adenoviruses were purified by the University of Iowa Gene

Transfer Vector Core by CsCl gradient purification and titered by plaque assay on A549 and HEK 293 cells.

For FIV constructs, the TPP-I cDNA was cloned into the pVETLRSVmcS FIV genome plasmid.<sup>29</sup> The TPP-I-containing plasmid was combined with pCFIVΔorfΔvif and pCMV-G in a triple transfection in HT 1080 cells.<sup>19,29</sup> The medium was collected over a 4-day period, passed through a 0.45 μm filter and centrifuged at 7500 g to concentrate the retrovirus particles. The pellet was then resuspended in 1 mL lactose buffer (40 mg/mL lactose in PBS). Viral titers of FIVTPP-I were estimated by infecting A549 cells with serial dilutions of the viral stock followed by immunohistochemistry for TPP-I. FIV particles were generated in the University of Iowa Gene Transfer Vector Core.

Recombinant AAV5 vectors were produced by triple transfection of the TPP-I expression cassette, containing the native AAV5 ITR and the Rous Sarcoma virus long terminal repeat promoter, a plasmid containing AAV5 rep and cap, and a third plasmid containing helper function from adenovirus type 5. Recombinant AAV5TPP-I was purified as described previously and titered by quantitative PCR.<sup>20,30,31</sup> The viral titer was  $1.0 \times 10^{12}$  genome copies (particles)/mL. AAV5TPP-I was dialyzed against lactated Ringer's solution prior to injection.

#### Animals and injections

Six-week-old C57Bl/6 mice were purchased from Jackson Labs (Bar Harbor, ME, USA) and housed at the University of Iowa Animal Care Facility. The University of Iowa Animal Care and Use Committee approved all animal procedures. For striatal injections, mice were injected at coordinates 0.4 mm rostral, 2 mm lateral from the bregma, at a depth of 3 mm with 5 μL injections of one of the following viruses:  $7.0 \times 10^7$  i.u. of AdTPP-I/nlsβgal ( $n=12$ ),  $2.5 \times 10^6$  i.u. of FIVTPP-I ( $n=14$ ) or  $5 \times 10^9$  pt of AAV5TPP-I ( $n=6$ ). For cerebellar injections, 2 μL of virus containing  $2.8 \times 10^9$  i.u. of AdTPP-I/nlsβgal ( $n=3$ ) or  $1 \times 10^6$  i.u. of FIVTPP-I ( $n=3$ ) was injected into the anterior cerebellar lobe underlying the midline posterior occipital bone using a Hamilton syringe cemented with a glass micropipette tip.<sup>20</sup> Control animals either received no injection ( $n=4$ ), or were injected with Ad5nlsβgal ( $n=4$ ).

#### Tissue harvest and processing

All animals injected with adenovirus and FIV were evaluated 10 days after injection ( $n=6$  each) and AAV5 animals at 10 weeks ( $n=5$ ). Mice injected with FIV animals were also evaluated at 16 weeks ( $n=4$ ) and 33 weeks ( $n=3$ ).

For cryostat sections and immunohistochemistry, animals were perfused with 2% paraformaldehyde. Brains were removed and post-fixed 2 h in 2% paraformaldehyde, cryoprotected overnight in 30% sucrose, embedded in OCT and sectioned on a cryostat at 10 μm for subsequent immunostaining.

For enzyme assays, mice were euthanized and the brains removed, cut rostral to caudal at 1 mm intervals and hemispheres separated for analysis. Samples were frozen immediately in liquid N<sub>2</sub> and extracts prepared by homogenization in 500 μL of ice-cold lysis buffer (0.15 M NaCl, 0.1% Triton X-100). Nuclei and cellular debris were pelleted at 10 000 g at 4°C. The soluble fraction was removed and saved for TPP-I analysis.

Nuclear pellets from Ad-injected mice were retained for β-galactosidase activity and were sonicated for 10 s in 500 μL of lysis solution. All samples were frozen at -80°C until assayed. Protein concentrations were determined by the DC protein assay (BioRad, Hercules, CA, USA).

#### TPP-I antibody and immunohistochemistry

Antibodies against TPP-I were generated by injecting rabbits with 500 μL of  $1 \times 10^{12}$  pt/mL of AdTPP-I into four intramuscular and one intradermal site. The rabbits were boosted with the same dosage and routes 2 weeks later. Serum aliquots were stored at -20°C. Rabbit serum was tested for TPP-I specific antibodies by immunostaining (1) transfected cells containing expression plasmids devoid of all adenovirus sequences, (2) cells infected with FIVTPP-I, and (3) tissue sections from mice injected with adenovirus expressing human β-glucuronidase and nuclear-targeted β-galactosidase (Adβgluc/nlsβgal). Antibodies directed against TPP-I were detected in TPP-I-expressing tissues and cells but not in Adβgluc/nlsβgal-injected mice. Rabbit anti-TPP-I serum was used at 1:600. To detect neurons, mouse anti-NeuN 1:100 (Chemicon International Inc., Temecula, CA, USA) directly conjugated to Alexa 568 (Molecular Probes, Eugene, OR, USA) was used. Polyclonal rabbit anti-β-galactosidase (BioDesign International, Sao, MN, USA), directly conjugated to Alexa 568 and diluted 1:1500 was used to detect cells infected with adenovirus. All antibodies were diluted in 3% BSA, 0.1% saponin, 0.3% Triton X-100 in PBS (diluent). After blocking tissue sections for 30 min in diluent containing 10% serum, samples were incubated with primary antibodies overnight at 4°C. Samples were washed extensively in diluent and stained with fluorescently labeled secondary antibodies for 2 h at room temperature. Photomicrographs were captured using Adobe Photoshop and a SPOT/RT digital camera (Diagnostic Inst, Sterling Heights, MI, USA) on a Leica DMRBE fluorescent microscope or Olympus IX70 inverted microscope.

#### LINCL fibroblasts

LINCL fibroblasts previously isolated from patients were kindly provided by Dr Peter Lobel (Rutgers University, Piscataway, NJ, USA). Compound heterozygous fibroblasts that contained a G3560C splice junction mutation and a C3674T non-sense mutation in TPP-I were used to evaluate the ability of these deficient cells to sequester and activate TPP-I expressed from viral vectors. Fibroblasts were grown in DMEM supplemented with 10% FCS plus pen/strep. Fibroblasts were cultured in media containing 2% FCS, DMEM and 10 MOI of AdTPP-I/nlsβgal added for 4 h, followed by removal of virus. Cells were cultured for an additional 48 h before TPP-I activity assays were done on media and cell lysate fractions. To test for TPP-I uptake, A549 cells were infected at an MOI of 50 in DMEM containing 2% FCS, DMEM for 4 h, followed by virus removal and an additional 48 h culture. The medium was removed 48 h after infection and added to patient fibroblast cultures in six-well plates. Media and cells were harvested and TPP-I activity measured. For immunohistochemistry, patient cells were cultured for 48 h in TPP-I-enriched media harvested from virally infected A549 cells and then stained with anti-TPP-I.



### Enzyme activity assays

$\beta$ -Galactosidase and TPP-I enzyme activities were analyzed in a 96-well fluorescence microplate reader (BMG Technologies, Durham, NC, USA) with Costar 3631 plates (Fisher Scientific, Pittsburgh, PA, USA). TPP-I activity was measured at 37°C using the substrate Ala-Ala-Phe 7-amido-4-methylcoumarin (AAF-AMC; Sigma St. Louis, MO, USA) at 380 nm excitation, 460 nm emission.<sup>32</sup> Prior to assay, samples were either maintained at neutral pH or pre-activated by incubation in citrate buffer (0.15 M NaCl, 0.05 M sodium citrate pH 4.2) for 20 min. Plates were pre-warmed to 37°C prior to the addition of substrate (50  $\mu$ l of 400  $\mu$ M AAF-AMC in citrate buffer). Samples were read every 2 min for 30 min. TPP-I activities from all mice were expressed as fluorescent units per minute per mg protein. Endogenous TPP-I activities from non-injected control mice were used to determine fold increase in expression after viral injections.

$\beta$ -Galactosidase activities were measured in the nuclear fraction of all adenovirus-injected mice using the FluoroReporter lacZ Quantitation Kit (Molecular Probes, Eugene, OR, USA) in accordance with the manufacturer's directions. Standard curves were generated using 0.02–5 ng purified  $\beta$ -galactosidase (Sigma, St. Louis, MO, USA). Aliquots of 5  $\mu$ l of nuclear extract or  $\beta$ -galactosidase were incubated with 1.1 mM 3-carboxy-umbelliferyl  $\beta$ -D-galactopyranoside in reaction buffer (0.1 M sodium phosphate, pH 7.3, 1 mM magnesium chloride and 45 mM  $\beta$ -mercaptoethanol) for 30 min at room temperature. Stop buffer (0.2 M Na<sub>2</sub>CO<sub>3</sub>) was added and the fluorescent product measured at 380 nm excitation and 460 nm emission. Emission values were converted to pg  $\beta$ -galactosidase per mg protein based on  $\beta$ -galactosidase standard curves and sample protein concentrations.

### Acknowledgements

The authors thank Dr Istvan Sohar and Dr Peter Lobel for assistance with the TPP-I activity assays, Dr Sybille Sauter for the FIVTPP plasmid, Inês Martins and Ken Ratliff for excellent technical assistance and Drs Colleen Stein and Jason Heth for critical discussions. We also thank the University of Iowa Gene Transfer Vector Core (DK 54759) for help with virus production. This work was supported in part by a grant from the Batten Disease Support and Research Association (BDSRA), and from the Roy J. Carver Trust (BLD).

### References

- 1 Opitz JM. Ceroid-lipofuscinoses. *Batten Disease and Allied Disorders*. Alan R. Liss, Inc.: New York, 1987; pp 1–307.
- 2 Goebel HH, Mole SE, Lake BD. *The Neuronal Ceroid Lipofuscinoses (Batten Disease): Biomedical and Health Research*. IOS Press: Amsterdam, 1999, p 33.
- 3 Sohar I, Sleat DE, Jadot M, Lobel P. Biochemical characterization of a lysosomal protease deficient in classical late infantile neuronal ceroid lipofuscinosis (LINCL) and development of an enzyme-based assay for diagnosis and exclusion of LINCL in human specimens and animal models. *J Neurochem* 1999; 73: 700–711.

- 4 Palmer DN et al. Mitochondrial ATP synthase subunit c storage in the ceroid-lipofuscinoses (Batten disease). *Am J Med Genet* 1992; 42: 561–567.
- 5 Sleat DE et al. Association of mutations in a lysosomal protein with classical late-infantile neuronal ceroid lipofuscinosis. *Science* 1997; 277: 1802–1805.
- 6 Vines D, Warburton MJ. Purification and characterisation of a tripeptidyl aminopeptidase I from rat spleen. *Biochim Biophys Acta* 1998; 1384: 233–242.
- 7 Rawlings ND, Barrett AJ. Tripeptidyl-peptidase I is apparently the CLN2 protein absent in classical late-infantile neuronal ceroid lipofuscinosis. *Biochim Biophys Acta* 1999; 1429: 496–500.
- 8 Vines DJ, Warburton MJ. Classical late infantile neuronal ceroid lipofuscinosis fibroblasts are deficient in lysosomal tripeptidyl peptidase I. *FEBS Lett* 1999; 443: 131–135.
- 9 Lin L, Sohar I, Lackland H, Lobel P. The human CLN2 protein/tripeptidyl-peptidase I is a serine protease that autoactivates at acidic pH. *J Biol Chem* 2001; 276: 2249–2255.
- 10 Ezaki J, Takeda-Ezaki M, Kominami E. Tripeptidyl peptidase I, the late infantile neuronal ceroid lipofuscinosis gene product, initiates the lysosomal degradation of subunit c of ATP synthase. *J Biochem* 2000; 128: 509–516.
- 11 Ezaki J, Tanida I, Kanehagi N, Kominami E. A lysosomal proteinase, the late infantile neuronal ceroid lipofuscinosis gene (CLN2) product, is essential for degradation of a hydrophobic protein, the subunit c of ATP synthase. *J Neurochem* 1999; 72: 2573–2582.
- 12 Lin L, Lobel P. Production and characterization of recombinant human CLN2 protein for enzyme-replacement therapy in late infantile neuronal ceroid lipofus. *Biochem J* 2001; 357: 49–55.
- 13 Xia H, Mao Q, Davidson BL. The HIV Tat protein transduction domain improves the biodistribution of  $\beta$ -glucuronidase expressed from recombinant viral vectors. *Nat Biotechnol* 2001; 19: 640–644.
- 14 Consiglio A et al. In vivo gene therapy of metachromatic leukodystrophy by lentiviral vectors: correction of neuropathology and protection against learning impairments in affected mice. *Nat Med* 2001; 7: 310–316.
- 15 Ghodsi A et al. Extensive  $\beta$ -glucuronidase activity in murine CNS after adenovirus mediated gene transfer to brain. *Hum Gene Ther* 1998; 9: 2331–2340.
- 16 Stein CS, Ghodsi A, Derksen T, Davidson BL. Systemic and central nervous system correction of lysosomal storage in mucopolysaccharidosis type VII mice. *J Virol* 1999; 73: 3424–3429.
- 17 Vogler C et al. Murine mucopolysaccharidosis type VII: the impact of therapies on the clinical course and pathology in a murine model of lysosomal storage disease. *J Inher Metab Dis* 1998; 21: 575–586.
- 18 Bosch A et al. Reversal of pathology in the entire brain of mucopolysaccharidosis type VII mice after lentivirus-mediated gene transfer. *Hum Gene Ther* 2000; 11: 1139–1150.
- 19 Brooks AI et al. Functional correction of established CNS deficits in an animal model of lysosomal storage disease using feline immunodeficiency virus-based vectors. *Proc Natl Acad Sci USA* 2002; 99: 6216–6221.
- 20 Alisky JM et al. Transduction of murine cerebellar neurons with recombinant FIV and AAV5 vectors. *NeuroReport* 2000; 11: 2669–2673.
- 21 Davidson BL et al. Recombinant AAV type 2, 4, and 5 vectors: transduction of variant cell types and regions in the mammalian CNS. *Proc Natl Acad Sci USA* 2000; 97: 3428–3432.
- 22 Fu H et al. Neurological correction of lysosomal storage in a mucopolysaccharidosis IIIB mouse model by adeno-associated virus-mediated gene delivery. *Mol Ther* 2002; 5: 42–49.
- 23 Barranger JA, O'Rourke E. Lessons learned from the development of enzyme therapy for Gaucher disease. *J Inher Metab Dis* 2001; 24: 89–96.

- 24 Desnick RJ, Banikazemi M, Wasserstein M. Enzyme replacement therapy for Fabry disease, an inherited nephropathy. *Clin Nephrol* 2002; 57: 1–8.
- 25 Leone P, Janson CG, McPhee SJ, During MJ. Global CNS gene transfer for a childhood neurogenetic enzyme deficiency: Canavan disease. *Curr Opin Mol Ther* 1999; 1: 487–492.
- 26 Ghodsi A *et al*. Systemic hyperosmolality improves  $\beta$ -glucuronidase distribution and pathology in murine MPS VII brain following intraventricular gene transfer. *Exp Neurol* 1999; 160: 109–116.
- 27 Anderson RD *et al*. A simple method for the rapid generation of recombinant adenovirus vectors. *Gene Ther* 2000; 7: 1034–1038.
- 28 Chartier C *et al*. Efficient generation of recombinant adenovirus vectors by homologous recombination in *Escherichia coli*. *J Virol* 1996; 70: 4805–4810.
- 29 Johnston JC *et al*. Minimum requirements for efficient transduction of dividing and nondividing cells by feline immunodeficiency virus vectors. *J Virol* 1999; 73: 4991–5000.
- 30 Chiorini JA *et al*. High-efficiency transfer of the T cell co-stimulatory molecule B7-2 to lymphoid cells using high-titer recombinant adeno-associated virus vectors. *Hum Gene Ther* 1995; 6: 1531–1541.
- 31 Davidson BL, Chiorini JA. Recombinant adeno-associated virus vector types 4 and 5: preparation and application for CNS gene transfer. *Viral Vectors Gene Ther* 2003 (in press).
- 32 Page AE, Fuller K, Chambers TJ, Warburton MJ. Purification and characterization of a tripeptidyl peptidase I from human osteoclastomas: evidence for its role in bone resorption. *Arch Biochem Biophys* 1993; 306: 354–359.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☒ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☒ **FADED TEXT OR DRAWING**
- ☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☒ **SKEWED/SLANTED IMAGES**
- ☒ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☒ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**